

Strength in Harmony Systems: Trigger and Directional Asymmetries*

Kevin Mullin

University of Massachusetts Amherst

2011 February 28

Abstract

This paper proposes an account of harmony systems that have asymmetries in directional spreading, directional blocking, directional bounds, and trigger strength. I show that adopting a derivational version of Optimality Theory with weighted constraints – Serial Harmonic Grammar – as the analytic framework can successfully generate these systems in a general way without relying on problematic Local Constraint Conjunction. Additionally, building on earlier work, the serial nature of the grammar is used in order to prevent predictions of implausible typological pathologies found in existing parallel Optimality Theory and Harmonic Grammar analyses. Small typologies generated by this grammar are presented, and a complex test case from Chilcotin is examined.

Keywords: harmony, directional asymmetries, trigger conditions, blocking, locality, autosegmental, feature spreading, strict domination, Local Constraint Conjunction, weighted constraints, Harmonic Grammar, Harmonic Serialism, parallelism, Optimality Theory, Chilcotin, phonology, typology

* I thank Wendell Kimper, Adam Albright, Edward Flemming, Karen Jesney, Peter Jurgec, Michael Kenstowicz, John Kingston, Claire Moore–Cantwell, Brian W. Smith, Peggy Speas, and – especially – John J. McCarthy and Joe Pater for valuable comments and discussion. Needless to say, all shortcomings that lie within are mine alone. This research was supported by grant [BCS-0813829](#) from the National Science Foundation to the University of Massachusetts Amherst. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author and do not necessarily reflect the views of the NSF. An earlier version of this paper was presented as Mullin (2010). Comments, of course, are very welcome.

Contents

1	Introduction	3
2	Asymmetrical Harmony	3
2.1	Spreading Direction Asymmetry	3
2.2	Directional Blocking Asymmetry	7
2.3	Directional Boundedness Asymmetry	9
2.4	Trigger Condition Asymmetry	10
2.5	Asymmetry in Trigger Conditions on Blocking	10
2.6	Asymmetry in Trigger Conditions on Boundedness	11
3	Harmony in Serial Harmonic Grammar	12
3.1	OT with Weighted Constraints	13
3.2	Serial Framework	15
3.3	Privative Features	18
3.4	Headed Featural Domains	18
3.4.1	<i>Schematic Representation</i>	19
3.5	Operations of Restrictive GEN	19
3.6	Motivating Feature Spreading	21
4	Directional Asymmetries	23
4.1	Directional Spreading and Dependent Constraints	23
4.2	Directional Blocking	28
4.2.1	<i>Chilcotin Vowel Flattening: Direction-specific Blocking</i>	29
4.2.2	<i>Blocking and Direction</i>	30
4.3	Directional Boundedness	33
4.3.1	<i>Bounds on Feature Spreading</i>	34
4.3.2	<i>Boundedness and Direction</i>	37
5	Trigger Condition Asymmetries	40
5.1	Trigger Conditions and Boundedness	40
5.2	Trigger Conditions and Blocking	42
6	Test Case: Chilcotin Vowel Flattening	44
7	Against Classic OT and For HG	52
7.1	Symmetrical OT: Insufficient Power	52
7.2	Local Constraint Conjunction: Less General and Problematic	52
7.2.1	<i>The Conceptual Argument</i>	53
7.2.2	<i>The Empirical Arguments</i>	55
8	Conclusion	56
	References	56

1 Introduction

This manuscript outlines a general formal account of complex harmony systems that have directions and triggers of different strengths producing asymmetries in the direction of feature spreading, blocking, boundedness, and trigger conditions. Here, *strength* specifically refers to the following:

- the lack of spreading in the *weak* direction but the ability to spread in the *strong* direction
- the ability of blocking segments to block harmony in the *weak* direction but not in the *strong* direction
- bounded spreading in the *weak* direction but unbounded spreading in the *strong* direction
- the lack of spreading from a *weak* featural host but the ability to spread from a *strong* featural host (trigger)
- the ability of blocking segments to block spreading from a *weak* trigger but not a *strong* trigger
- bounded spreading from a *weak* trigger but unbounded spreading from a *strong* trigger

The formal calculus used here is Serial Harmonic Grammar (Pater forthcoming, Elfner 2010, Kimper 2011). Serial Harmonic Grammar is a variant of Optimality Theory (Prince and Smolensky 1993, McCarthy and Prince 1993, 1995) that has weighted constraints instead of ranked constraints and has serial evaluation rather than parallel evaluation.

First, several examples of asymmetrical harmony systems are presented (§2) followed by a short background on weighted constraints (§3.1) and the serialist constraint grammar used here (§3.2). Then, I detail assumptions that the analysis presupposes (§3.3–§3.6). After these preliminaries, analyses of each of the asymmetrical types are offered individually (§4–§5). All of the analyses culminate in a challenging test case with multiple asymmetries: Chilcotin vowel flattening (§6). Finally, I briefly argue for this Serial Harmonic Grammar framework over frameworks in standard Optimality Theory with ranked constraints (§7).

2 Asymmetrical Harmony

2.1 SPREADING DIRECTION ASYMMETRY

A language with an asymmetry in the direction of spreading has unidirectional spreading. For example, a language may regressively spread a feature [F] from a featural trigger *T* to all assimilating undergoer (target) segments *U* in the strong leftward direction (1) while spreading in the opposite weak direction (2) is illicit.

- (1)
- Spreading feature [F] from trigger T in strong direction*



- (2)
- No spreading feature [F] from trigger T in weak direction*



The rarity of unambiguous directional feature spreading in vowel harmony systems has led previous work to assert the absence of pure directional effects in feature spreading (Baković 2000, 2001, 2003). All feature spreading in these accounts is either bidirectional or stem-controlled in which the feature spreads from an inner root or stem to outer affixes. Any apparent unidirectional spreading is explained as stem-controlled harmony (either stem-to-prefix or stem-to-suffix). However, earlier work, including work in rule-based theories, often assumed directionality. Indeed, unidirectional patterns are attested even in vowel harmony (Hyman forthcoming) although they seem to be more common in other types of feature spreading (Hansson 2001). Below are examples from Warao nasal harmony, Ineseño Chumash coronal sibilant harmony, Assamese Advanced Tongue Root harmony, and Coeur d’Alene faucal harmony.

In Warao, nasal stops and nasalized vowels trigger progressive nasal harmony as evidenced by vowel alternations (Obsorn 1966a, 1966b, 1967, Peng 2000).¹ Oral stops like [k, p] block harmony. However, the [nasal] spreading is only from left to right: regressive harmony is not attested in Warao. The oral suffix [-a] in (3a) occurs in the context of oral segments in (3b) and (3d). This same suffix has a nasalized variant [-ã] when it is preceded by a nasal suffix [-n] (3e) as in (3f). Although [-n] triggers progressive assimilation, any vowel preceding [-n] is invariantly oral as demonstrated by the root-final oral [o] in both (3d) and (3f). The nasal segments trigger progressive harmony from an inner suffix to outer suffixes (3f), from an initial stem to a final stem in a stem–stem compound leading to a [waku ~ wãku] alternation (3j), and from a noun to a following verbal particle leading to a [haε ~ hãε] alternation (3l). In all of these examples, progressive harmony is attested while regressive harmony is unattested: hypothetical [*εhopõnãε, *hõnĩ, *hõnĩwãku, *pãnpãnãhãε] are all illicit forms.

¹ Warao is a language isolate spoken in northeastern Venezuela.

(3) *Warao: Progressive nasal harmony*

- | | | |
|----|--------------|-------------------|
| a. | -a | (MOMENTANEOUS) |
| b. | toro-a-ε | ‘he put in’ |
| c. | ehopo- | ‘to go out’ |
| d. | ehopo-a-ha | ‘gone out’ |
| e. | -n | (SG) |
| f. | ehopo-n-ã-ẽ | ‘he went out’ |
| g. | ho | ‘water’ |
| h. | honĩ | ‘in the water’ |
| i. | waku | ‘terrapin’ |
| j. | honĩ-wãku | ‘turtle’ |
| k. | honĩwãku hae | ‘it’s a turtle’ |
| l. | panãpanã hãẽ | ‘it’s a porpoise’ |

This is not stem-controlled harmony since nasal triggers in prefixes like [mã-] (4a) cause stems to undergo harmony as in (4c). Warao is a fairly clear example of a harmony system that requires the phonological grammar to refer to a directional preference.

(4) *Warao: Progressive harmony is not stem-controlled*

- | | | | |
|----|------|--------------|-------|
| a. | mã- | (I.POSS) | |
| b. | ha | ‘hammock’ | |
| c. | mãhã | ‘my hammock’ | *mãha |

A directional restriction on harmony that cannot be reduced to a stem-control effect is also common in long-distance coronal sibilant harmony. Usually, this type of harmony is feature-changing and strictly regressive. Ineseño Chumash is a typical example (Applegate 1972; Poser 1982, 1993; Steriade 1987; Shaw 1991; Hansson 2001; McCarthy 2007c).² Coronal affricates and fricatives assimilate to the point of articulation of the rightmost coronal affricate or fricative: sibilant postalveolars become alveolars when preceding sibilant alveolars and sibilant alveolars become postalveolars when preceding sibilant postalveolars. In (5), an underlying /s/ in a prefix surfaces unchanged in the elsewhere environment but when followed by a suffix containing a postalveolar /ʃ/, the prefix assimilates to the articulation of the suffix. Here, the direction of harmony is regressive: a form with progressive harmony [*hasxintilawas] is not attested. Additionally, the harmony trigger occurs in a suffix showing that the directional process is not stem-controlled.

² Ineseño Chumash is an extinct Chumashan language formerly spoken in southern California.

(5) *Chumash: Regressive coronal sibilant harmony*

- a. s- (3.POSS)
 b. ha-s-xintila ‘his gentile’
 c. -waʃ (PST)
 d. ha-ʃ-xintila-waʃ ‘his former gentile’

Assamese Advanced Tongue Root vowel harmony is regressive – and not progressive or stem-controlled (Mahanta 2007).³ This is found in static phonotactic patterns with monomorphemic words and in vowel alternations. Assamese has [ATR] vowels such as [o, i, e, u] with corresponding non-[ATR] counterparts [ɔ, ɛ, ʊ]. (6a, b) show that it is possible that a non-[ATR] vowel may follow an [ATR] vowel: the [ATR] feature does not spread progressively from the preceding vowel to a following vowel. However, the converse is unattested in Assamese: roots cannot have a non-[ATR] followed by an [ATR] vowel. Thus, hypothetical roots like [*ɔb^hinob] or [*xɔrijoh] are ungrammatical. Similarly, underlyingly non-[ATR] roots (7a, b, c) alternate with [ATR] forms when followed by an [ATR] vocalic suffix (7d, e, f). Again, the converse is not true: non-[ATR] suffixes are invariantly non-[ATR] following an [ATR] root (8).

(6) *Assamese: Non-[ATR] vowels can follow [ATR] vowels*

- a. ob^hinɔb ‘new’
 b. xorijoh ‘mustard’

(7) *Assamese: Alternations from regressive [ATR] harmony*

- a. teʒ ‘strength’
 b. ʊpɔr ‘above’
 c. d^hʊl ‘drum’
 d. /teʒ-i/ → tezi ‘strong’ *tezi
 e. /ʊpɔr-i/ → ʊpori ‘in addition’ *ʊpɔri
 f. /d^hʊl-ija/ → d^hulija ‘drummer’ *d^hʊlija

(8) *Assamese: Harmony is not progressive or stem-controlled*

- a. kin ‘buy’
 b. b^hut ‘ghost’
 c. p^hur ‘travel’
 d. /kin-ɛ/ → kine ‘buy-3.PRES’ *kine
 e. /p^hur-ɛ/ → p^hure ‘travel-1.PRES’ *p^hure
 f. /b^hut-ʊ/ → b^hutu ‘ghost-ERG’ *b^hutu

Finally, Coeur d’Alene has faucal harmony that is regressive (Doak 1992). Underlying /i, u, ɛ/ are lowered and retracted to [ɛ, ɔ, ɑ] when followed by a uvular, pharyngeal,

³ Assamese is an Indo-Aryan language (Indo-European) spoken in Assam, (northeastern) India.

or pharyngealized coronal [q, q', χ, q^w, q^w, ɣ, ɣ', ɣ^w, ɣ^w, r^f, r^f].⁴ This leads to allomorph alternations [t^sɪʃ ~ t^sɛʃ] (9a, b), [pʊm ~ pɔm] (9c, d), [χɛt^s ~ χat^s] (9e, f), and [tʃɛm ~ tʃam, us ~ ɔs] (9g).⁵ All of these examples show that the pharyngealizing triggers appear in suffixes ([-alq^w, -alp^w]) and target vowels in preceding suffixes and roots.

(9) *Coeur d'Alene: Regressive faucal harmony*

a.	/t ^s ɪʃ-t/	→	t ^s ɪʃt	'it is long'
b.	/t ^s ɪʃ-alq ^w /	→	t ^s ɛʃalq ^w	'he is tall'
c.	/s-t-pum-əlx ^w /	→	stpúməlx ^w	'hide with fur'
d.	/s-pum-alq ^w /	→	spómalq ^w	'fur coat'
e.	/χɛt ^s -p/	→	χét ^s p	'he became curious'
f.	/t-χɛt ^s -χət ^s -us/	→	tχát ^s χət ^s us	'he has curious eyes'
g.	/s-n-tʃɛm-us-alp ^w /	→	snʃamósalp ^w	'inside mouth'

(10) *Coeur d'Alene: Faucal harmony is not progressive*

a.	χɛt ^s -p	'he became curious'	*χat ^s p
b.	s-q ^w il-n	'cheating'	*sq ^w ɛln
c.	ɣat ^s -ɣat ^s -qín-ʃin	'garters'	*ɣat ^s ɣat ^s qénʃɛn
d.	t-s-t ^s ʔéχ ^w -n-t ^s ut	'star'	*tst ^s ʔéχ ^w nt ^s ɔt
e.	n-t ^s aq-ít ^w k ^w ɛ?	'he put it in the water'	*nt ^s aqét ^w k ^w ɛ?

Vowels following the faucal triggers are not affected by the harmony process as shown in (10). Thus, progressive harmony is not attested in Coeur d'Alene, and the unidirectionality of regressive feature spreading cannot be explained as root-controlled harmony.

2.2 DIRECTIONAL BLOCKING ASYMMETRY

Other directional effects in harmony systems appear as restrictions that are confined to only a single direction. In several harmony systems, feature spreading is blocked by certain segments. For example, in nasal harmony systems, fricatives commonly block nasal harmony. A language with asymmetrical directional blocking allows spreading through otherwise blocking (or opaque) segments *B* in the strong direction (11) while spreading in the weak direction is blocked (12) because the feature [F] cannot be associated with the other features linked to segment *B*. Direction-specific blocking is found in Southern Palestinian Arabic.

⁴ Coeur d'Alene, also known as Snychitsu'umshtsn, is an endangered (Interior) Salishan language spoken in northern Idaho.

⁵ The schwa vowels in Coeur d'Alene are due to separate processes of unstressed vowel reduction and epenthesis.

(11) *Segment B cannot block spreading in strong direction*



(12) *Segment B blocks spreading in weak direction*



Southern Palestinian Arabic has Retracted Tongue Root harmony (*emphasis*) triggered by uvularized coronal segments – [tʰ, ðʰ, sʰ, zʰ] – that are blocked progressively by palatals – [i, j, ʃ, ʕ] – but not regressively by palatals (Davis 1995). The feature spreading is unbounded and bidirectional retracting both consonants and vowels as shown in (13). In (14), harmony is blocked by palatals since feature spreading is left-to-right (even by an epenthetic vowel (14d)). These same palatals do not block right-to-left feature spreading as shown in (15).

(13) *Southern Palestinian Arabic: Bidirectional iterative spreading*

- a. /bal:a:sʰ/ → ɸal:a:sʰ ‘thief’
 b. /sʰaba:h/ → sʰaɸa:h ‘morning’

(14) *Southern Palestinian Arabic: Progressive spreading blocked*

- a. /tʰi:n-ak/ → tʰi:nak ‘your clay’ *tʰi:naɸ
 b. /sʰaj:a:d/ → sʰaj:a:d ‘fisher’ *sʰaj:a:ɸ
 c. /ʕatʰʃa:n/ → ʕatʰʃa:n ‘thirsty’ *ʕatʰʃa:n
 d. /batʰn-ha/ → ɸatʰinha ‘her stomach’ *ɸatʰinɸa
 e. /ðʰaɕ:a:t/ → ðʰaɕ:a:t (type of noise) *ðʰaɕ:a:t
 f. /maɕasʰ:asʰiʃ/ → maɕasʰ:asʰiʃ ‘it didn’t solidify’ *maɕasʰ:asʰiʃ

(15) *Southern Palestinian Arabic: Regressive spreading not blocked*

- a. /tamʃi:tʰa/ → taɸʃi:tʰa ‘hair styling’ *tamʃi:tʰa
 b. /mana:fiðʰ/ → maɸa:fiðʰ ‘ashtrays’ *mana:fiðʰ
 c. /xaj:a:tʰ/ → xaɸa:tʰ ‘tailor’ *xaj:a:tʰ
 d. /naʃa:tʰ/ → naɸa:tʰ ‘energy’ *naʃa:tʰ
 e. /maɕasʰ:asʰiʃ/ → maɕasʰ:asʰiʃ ‘it didn’t solidify’ *maɕasʰ:asʰiʃ

A similar case of direction-specific blocking is found in Cairene Arabic although the blocking is optional (Watson 2002: 273–274). Progressive emphasis spread from emphatic coronal triggers is optionally blocked by high front vocoids [i, j]. However, [i, j] never block the feature spreading in the regressive direction. Northern Rural Palestinian Arabic is like its southern counterpart except that the set of opaque blockers consists of all

segments except for the low vowel, pharyngeals, and laryngeals (Younes 1993, Davis 1995). Again, harmony is only blocked progressively, not regressively. Another example of directional blocking is found in Dagbani Advanced Tongue Root harmony (Hudu 2010).⁶ Progressive harmony triggered by /i/ is blocked by [a, s, l, r], but, regressive harmony is not blocked. Directional blocking in Chilcotin is detailed in §4.2.1.

2.3 DIRECTIONAL BOUNDEDNESS ASYMMETRY

A language with asymmetrical directional bounds has unbounded spreading in one direction and bounded spreading in the other. For example, a language may spread iteratively in the strong left-to-right direction (16) while in the opposite weak direction, spreading is only local to an adjacent segment (17).

(16) *Unbounded feature spreading in strong direction*



(17) *Bounded feature spreading in weak direction*



Chilcotin has an instance of a directional bound on feature spreading (Krauss 1975; Cook 1976, 1983, 1987, 1989, 1993; Hansson 2001, 2007).⁷ In Chilcotin, coronal [RTR] triggers – [t^s, t^{sh}, t^{sr}, s^s, z^s] – cause assimilation of a following long vowel but no further (18). In contrast, regressive spreading affects all preceding vowels from a stem-final trigger to the left word edge (19).

(18) *Chilcotin: Bound on progressive [RTR] harmony*

/s^sæntæn/ → s^santæn ‘son-in-law’ *s^santan

(19) *Chilcotin: No bound on regressive [RTR] harmony*

/ʔæpələs^s/ → ʔapələs^s ‘apples’ *ʔæpələs^s, *ʔapələs^s

Finally, it should be noted that directional effects are found in what may be considered phonetic domains. For example, Zawaydeh (1999) and Jongman *et al.* (2011) found that in Jordanian Arabic regressive [RTR] harmony categorically lowers F2 values during vowels while under progressive harmony F2 is gradually lowered in which vowels closest to the trigger have lower F2 values compared to vowels further from the trigger.

⁶ Dagbani is a Gur language (Niger-Congo) spoken in northeastern Ghana.

⁷ Chilcotin, also known as Tsilhqot’in, is an endangered (northern) Athabaskan language (Dene-Yeniseian) spoken in British Columbia.

2.4 TRIGGER CONDITION ASYMMETRY

Other types of asymmetries involve an asymmetry between feature-bearing segments. Although a feature may occur on a particular segment, it may or may not act as a trigger of feature spreading. Both situations can co-exist in a language. One type of strong segment may both bear a feature and trigger feature spreading of that feature (20) while a different type of weak segment bears the feature but fails to act as a featural trigger (21).

(20) *Feature spreading from strong host S*



(21) *Lack of feature spreading from weak host W*



This asymmetry is found in Ennemor (Hetzron and Marcos 1966).⁸ Both nasal stops and nasalized continuants occur in the language, but only nasalized continuants trigger nasal harmony assimilation on vowels.

(22) *Ennemor: Nasal spreading from strong triggers*

- | | | | | | |
|----|-----------|---|---------|------------|----------|
| a. | /fΛʔΛβ̃Λ/ | → | fΛʔΛβ̃Λ | ‘obstruct’ | *fΛʔΛβ̃Λ |
| b. | /Λw̃Λd/ | → | Λw̃Λd | ‘gourd’ | *Λw̃Λd |
| c. | /dΛʔΛr̃Λ/ | → | dΛʔΛr̃Λ | ‘hide’ | *dΛʔΛr̃Λ |

(23) *Ennemor: Nasal spreading from weak hosts is unattested*

- | | | | | | |
|----|----------|---|--------|-------------|----------|
| a. | /anΛqΛ/ | → | anΛqΛ | ‘strangled’ | *ānΛqΛ |
| b. | /mΛkΛrΛ/ | → | mΛkΛrΛ | ‘advise’ | *mākΛr̃Λ |

2.5 ASYMMETRY IN TRIGGER CONDITIONS ON BLOCKING

The first interaction with a trigger condition and a further restriction is an asymmetry in blocking: harmony instigated by a strong trigger is unblockable (24) while harmony from a weak trigger is blockable (25).

(24) *Segment B cannot block spreading from strong trigger S*



⁸ Ennemor, also known as Inor, is a Southern Semitic (Afroasiatic) language spoken in Ethiopia.

(25) *Segment B blocks spreading from weak trigger W*



This pattern is found in Cairene Arabic [RTR] harmony (Watson 2002: 270–276). Cairene Arabic has both strong coronal triggers – [t^ʕ, d^ʕ, s^ʕ, z^ʕ] – and a weak flap trigger – [r^ʕ]. The weak trigger iteratively spreads [RTR] as shown in (26a, b), but it cannot spread the feature to opaque high front segments [i, j] as in (26a–d). The strong triggers, however, do spread to these segments (27).

(26) *Cairene Arabic: No spreading to opaque segments from weak trigger*

- | | | | | | |
|----|--------------------------|---|-----------------------|-------------|------------------------|
| a. | /beʔer ^ʕ i/ | → | baʔar ^ʕ i | ‘my cows’ | *baʔar ^ʕ i |
| b. | /dir ^ʕ e:se/ | → | dir ^ʕ a:sa | ‘learning’ | *dir ^ʕ a:sa |
| c. | /infige:r ^ʕ / | → | infiga:r ^ʕ | ‘explosion’ | *infiga:r ^ʕ |
| d. | /sife:r ^ʕ e/ | → | sifa:r ^ʕ a | ‘embassy’ | *sifa:r ^ʕ a |

(27) *Cairene Arabic: Spreading to opaque segments from strong triggers is possible*

- | | | | | | |
|----|--------------------------|---|------------------------|---------------|-------------------------|
| a. | /ʔemi:s ^ʕ / | → | ʔami:s ^ʕ | ‘shirt’ | *ʔemi:s ^ʕ |
| b. | /wi:s ^ʕ il/ | → | wi:s ^ʕ ił | ‘he arrived’ | *wi:s ^ʕ il |
| c. | /mes ^ʕ e:jib/ | → | mas ^ʕ a:jib | ‘misfortunes’ | *mas ^ʕ a:jib |

Another example of a trigger condition on blocking is found in Chilcotin, which is detailed in §6.

2.6 ASYMMETRY IN TRIGGER CONDITIONS ON BOUNDEDNESS

The last asymmetry involves two classes of triggers and bounded spreading. The strong trigger allows unbounded spreading (28) while the weak trigger only allows bounded spreading (29).

(28) *Spreading from strong trigger S is fully iterative*



(29) *Spreading from weak trigger W is strictly local*



In Cairene Arabic, weak uvular and pharyngeal triggers spread [RTR] to adjacent vowels but do not iteratively spread the feature to a second syllable (30) while strong coronal triggers spread iteratively to low vowels all the way to word edges (31).

(30) *Cairene Arabic: Bound on spreading from weak trigger*

- a. /qetel/ → qatel ‘he killed’ *qatal
 b. /ʕemel/ → ʕamel ‘he did’ *ʕamal

(31) *Cairene Arabic: No bound on spreading from strong trigger*

- a. /tʕeɛb/ → tʕaɛb ‘he demanded’ *tʕeɛb

The uvular and pharyngeal triggers in Cairene Arabic also differ. Pharyngeal triggers only target the first adjacent mora of a long non-low vowel while uvular triggers target the entire adjacent vowel regardless of its length. If analyzed in terms of prosodic structure, the uvular spreads to an adjacent syllable while the pharyngeals spread to an adjacent mora.⁹

3 Harmony in Serial Harmonic Grammar

The current proposal is an implementation of HG with a serial architecture: Serial Harmonic Grammar. Serial HG has been used in Pater (forthcoming) to account for syllabification in Berber, English, and French, in Elfner (2010) to account for interactions between vowel epenthesis and stress in Selayarese and Levantine Arabic, and in Kimper 2011 to account for opacity, transparency, and locality in feature spreading. I use it here to account for the asymmetrical feature spreading discussed in §1. This proposal synthesizes and extends the serial approach taken by McCarthy (2009a, forthcoming-b) and the weighted constraint approach taken by Potts *et al.* (2010).

A formal grammar utilizing weighted constraints known as Harmonic Grammar can successfully model these types of asymmetrical harmony systems (Smolensky and Legendre 2006, see Pater 2009 for further overview).¹⁰ For instance, concerning the directional blocking case, an additive *gang effect* of the co-occurrence restriction against linking a feature [F] to potentially blocking segment *B* and a (soft) restriction on progressive spreading can incur enough of a penalty so that progressive spreading is blocked by *B* segments. However, if there is comparatively little penalty for regressive spreading, then the co-occurrence restriction is not sufficient to prevent regressive spreading.

‘Classic’ Optimality Theory is not able to model asymmetrical harmony systems using general constraints (Prince and Smolensky 1993). In order to account for asymmetries

⁹ A further difference between the triggers lies in the phonetic realization of the assimilated vowel. Uvulars and coronal triggers retract the targeted low vowels to [ɑ] while pharyngeals retract the vowel to [a]. Additionally, the retraction induced by the pharyngeal is optional while uvulars and coronals are obligatory. This also seems to correspond generally to the fact that pharyngeals are the weakest trigger type. However, I have not attempted to formalize the degree of retraction and optionality in the grammar here although this would be an interesting pursuit. It may also be that these are just two different features: one that causes one type of pharyngealization and one that causes uvularization or a different type of pharyngealization.

¹⁰ See Cole (2009) for an alternate exemplar model approach to other kinds of asymmetries in harmony.

in harmony, Optimality Theory (OT) must include complex constraints that essentially encode conditioning factors into the constraint definitions. The usual method of building complex constraints is with Local Constraint Conjunction, which allows for general constraints as compositional atoms to be conjoined to form more complex constraints (Smolensky 1993, 2006). However, Local Constraint Conjunction (LCC) suffers from unrestrictive typology prediction and a loss of generality in comparison with Harmonic Grammar (HG) as discussed in §7.

In order for the HG model to generate restrictive language typologies without *pathologies*, HG must be implemented serially. Previous work in Harmonic Serialism, a derivational variant of OT, has demonstrated how a serial architecture can prevent certain pathologies predicted by analyses of harmony systems embedded within a standard OT framework with parallel evaluation. Since Parallel HG suffers from similar problems (although the severity is often greater), the same types of beneficial restrictions imposed by the serial architecture can be imported to Serial HG.

The analysis here combines both weighted constraints and a serial architecture. This Serial Harmonic Grammar framework successfully predicts the attested asymmetrical restrictions of feature spreading as well the more common symmetrical patterns. The analysis has been implemented computationally through OT-Help (Staubus *et al.* 2010).

3.1 OT WITH WEIGHTED CONSTRAINTS

Constraints in HG are weighted (linear numeric ordering) rather than ranked in strict domination (lexicographic ordering) as in standard OT (Legendre, Miyata, and Smolensky 1990a, 1990b; Smolensky and Legendre 2006; Pater 2009, 2010). Each input–output candidate is assigned a *harmony* penalty (\mathcal{H}) that is the sum of the weighted violation scores of the constraint set. This is shown in (32) in which v is the violation score assigned by an individual constraint, w is the weight assigned to a constraint, and \mathbf{C} is the set of constraints $\{C_k, C_{k+1}, \dots, C_K\}$.

(32) *Harmony calculation for input–output candidates*

$$\mathcal{H} = \sum_{k=1}^K w_k v_k$$

In order to make HG comparable with OT, violation scores are restricted to negative integers, and constraint weights are greater than zero (Keller 2000, 2006; Legendre, Sorace, and Smolensky 2006; Pater 2009; Potts *et al.* 2010; Prince 2003). In this version of HG, the optimal input–output mapping has the harmony penalty that is the closest to zero. Thus, in the example below, the harmony of *input–output1* is equal to -6 .

(33) *Example HG tableau*

		3	2	1	
/input/		CONA	CONB	CONC	\mathcal{H}
☞ a. output1		-1	-1		-5
b. output2		-1		-3	-6

(34) *Harmony penalty calculation for the first input–output candidate of the tableau in (33)*

$$\begin{aligned}
 \mathcal{H}(\text{input–output1}) &= w(\text{CONA}) * \text{CONA}(\text{input–output1}) + \\
 &\quad w(\text{CONB}) * \text{CONB}(\text{input–output1}) + \\
 &\quad w(\text{CONC}) * \text{CONC}(\text{input–output1}) \\
 &= (3) * (-1) + (2) * (1) + (1) * (0) \\
 &= -5
 \end{aligned}$$

Because a candidate’s harmony is derived from the sum of the weighted constraint violations, HG allows for additive constraint interaction unlike ‘classic’ OT (Pater 2009, Potts *et al.* 2010). The additive interaction allows HG to generate certain patterns that OT cannot generate when the constraint set is the same for both HG and OT. These additional patterns found in HG involve asymmetric *trade-offs* between violations from opposing constraints leading to a *gang effect* (also known as *cumulative constraint interaction* or a *worst-of-the-worst effect*). In Pater’s succinct characterization, this situation is when a given constraint is satisfied at a harmony score margin of n from other lower weighted constraints but not at a harmony score of $n + 1$.

If we compare tableau (35) to tableau (36), the higher weighted constraint CON1 penalizes *outputB*, and the lower weighted CON2 and CON3 do not assign a great enough penalty to effectively prevent the opposing *outputA* from being evaluated as the optimum. Thus, CON1 is satisfied with a combined penalty of -2 from CON2 and CON3. If CON2 and CON3 assign a combined penalty greater than this threshold of -2 , then CON1 is no longer satisfied: a penalty of $-2 + -1$ would result in tied optima, a penalty of $-2 + -2$ would result a different optimum as with *outputD* shown in (36).

(35) *Low-weighted CON2 and CON3 contribute a penalty low enough for input1–outputA optimum*

		3	1	1	
/input1/		CON1	CON2	CON3	\mathcal{H}
☞ a. outputA			-1	-1	-2
b. outputB		-1			-3

(36) *Low-weighted CON2 and CON3 contribute a penalty high enough to eliminate input2–outputC*

		3	1	1	
/input2/		CON1	CON2	CON3	\mathcal{H}
a. outputC			-1	-3	-4
☞ b. outputD		-1			-3

Classic OT, however, using the same set of constraints above (CON1, CON2, CON3) cannot generate the same optima *outputA* and *outputD* from *input1* and *input2*. Since OT does not allow additive constraint interaction, lower ranked constraints have no effect on a candidate once higher ranked constraints have selected a unique optimum. This is shown below in (37) and (38). Translating the weighting difference between CON2 and CON3 into a constraint ranking relation, the higher ranked CON1 selects *outputA* and *outputC* as optima since the dominated CON2 and CON3 have no power to affect the evaluation's outcome.

(37) *OT tableau comparable to (35)*

/input/		CON1	CON2	CON3
☞ a. outputA			*	*
b. outputB		*		

(38) *OT tableau comparable to (36)*


/input/		CON1	CON2	CON2
☞ a. outputC			*	***
b. outputD		*		

Changing the ranking relations also will not result in the desired optima. If either CON2 or CON3 dominate CON1, then the optima generated would be *outputB* and *outputD*. The only way to generate the *outputA–outputD* pattern in OT is to add further constraints to the grammar. This is arguably an undesired consequence of OT's non-additivity in both conceptual and empirical terms (§7).

3.2 SERIAL FRAMEWORK

Harmonic Serialism (Prince and Smolensky 1993: §2, 79–80; McCarthy 2000, 2002: 159–163, 2006, 2007a, 2010a, 2010b) is a derivational variant of OT, which operates with the two assumptions below. This same serial framework is adapted to the Serial HG proposal presented here.

- A restrictive GEN that generates a finite set of output candidates that differ *minimally* from the input via modifying operations. (Typically, inputs and outputs differ by only a single modification.)
- A derivational loop (39) where candidate generation and evaluation repeats until convergence. The optimal output at each step of the derivation is passed as the input to the next step of the derivation. Derivational *convergence* occurs when an output optimum is identical to its input.

(39) *Derivational loop of Serial HG*

McCarthy (2009a, forthcoming-b) develops a theory of feature spreading within Harmonic Serialism that lacks implausible typological predictions found in standard Optimality-Theoretic accounts of harmony (McCarthy 2004, 2009a, forthcoming-b; Wilson

2003, 2004, 2006).¹¹ This solution introduces a modified set of harmony constraints, especially the constraint SHARE. This serial implementation of OT with its restricted set of input–output mappings for each step of a derivation allows for feature spreading to occur locally in a step-by-step fashion, preventing the problematic mappings found in parallel OT and more accurately characterizing feature spreading in harmony systems as a *myopic* process (Gafos 1999, Ní Chiosáin and Padgett 2001, Walker 1998).¹²

As for the restrictive GEN, McCarthy proposes a set of minimal modifications that GEN can make with respect to feature spreading. Two operations out of this set are linking a feature to a segment and delinking a feature from a segment. This restrictive generative capacity means that instantaneous total feature spreading across a word is impossible in words that are longer than two segments: feature spreading must instead proceed segment by segment through a series of intermediate stages until it reaches a word boundary or a blocking segment.

If nasal harmony is considered, for instance, (40) is an impossible one-step derivation in Serial HG (although it is possible in a parallel theory). In order for the harmony domain to cover the entire span of a word, the derivation must occur as the series of steps in (41) similar to a serial derivation in rule-based phonology.

(40) *Impossible derivation in Serial HG*

/ãwa/ → [ãwã]

(41) *Derivation in Serial HG of total harmony*

/ãwa/ → ãwã → ãwã → [ãwã]

This means that at the first step of a derivation of a form with a single linked segment such as /wãya/ there are only three immediately relevant outputs¹³: the faithful output with no spreading (42a), feature spreading in either direction (42b, c), and feature deletion (or delinking) (42d). Under these assumptions about GEN, the serial architecture of the grammar itself demands strictly local myopic spreading at each derivational stage.

¹¹ Kimper (2008, 2010a, 2010b, forthcoming), Mahanta (2007: §5), and McCarthy (2006, 2009a, forthcoming-b) are previous explorations of issues pertaining to feature spreading utilizing a Harmonic Serialist framework; Kimper (2011) utilizes Serial Harmonic Grammar. Other phonological work within Harmonic Serialism on various topics includes Elfner (2009, 2010); Hyde (2009); Jesney (2009); Kimper (2009); McCarthy (2007b, 2008a, 2008b, 2009b, 2009d, forthcoming-a, forthcoming-c); McCarthy, Kimper, and Mullin (submitted); McCarthy, Mullin, and Smith (2010); McCarthy and Pruitt (forthcoming); Pizzo (2010); Pruitt (2008, 2010); and Staubs (forthcoming). See also McCarthy (2009c) for a bibliography that includes OT with Candidate Chains. For work in syntax, see Heck and Müller (2006) and the references cited therein.

¹² However, see Walker (2006, 2008, 2009, 2010) for an opposing view that suggests there are attested examples of harmony (metaphony in Romance languages) with a non-myopic lookahead character, which may pose a problem for strictly local spreading.

¹³ I put aside other outputs derived from less directly relevant processes such as segmental deletion, building prosodic structure, etc.

(42) *Three possible outputs from input /wāya/*

- a. wāya (no spreading/delinking, faithful)
- b. w̄āya (link feature left)
- c. wāȳa (link feature right)
- d. waya (delink feature)

Given other assumptions about the restrictive power of serial GEN and an appropriate constraint set, the serial architecture of the grammar prevents pathological predictions in harmony systems involving deletion, epenthesis, metathesis, allomorph selection, affix positioning, and stress shift (McCarthy 2008a, 2009a, forthcoming-b).

3.3 PRIVATIVE FEATURES

Features here are assumed to be privative and not equipollent following McCarthy (2009a, forthcoming-b). This is intended to capture the fact that in many cases of harmony the marked feature value spreads while a corresponding unmarked feature value does not. For example, several languages have nasal harmony, but no language has oral harmony. Having a privative [nasal] feature allows only for the possibility of either spreading [nasal] or not spreading [nasal] (Steriade 1993, 1995). If there were equipollent features [+nasal] and [-nasal], then a third unattested possibility of spreading [-nasal] would be permitted. Similarly, tones are commonly viewed as privative features (Stevick 1969, Odden 1981, Akinlabi 1984, Hyman and Byarushengo 1984, Pulleyblank 1986, Hyman 2001). For example, in many Bantu languages, a high tone contrasts with the absence of tone, which is pronounced phonetically with low pitch, or both high and low tone contrast with the absence of tone, which is pronounced with a mid tone.

Nonetheless, some features seem to allow spreading of two opposing feature values. Rather than assuming that these features are equipollent, two different features are posited. For instance, there are two features [ATR] and [RTR] instead of [+ATR] and [-ATR].¹⁴

3.4 HEADED FEATURAL DOMAINS


I assume head-dependent relations following previous work (Cassimjee 1998; Cassimjee and Kisseberth 1989, 1998, 1999a, 1999b, 2001; Cole and Kisseberth 1995a, 1995b, 1995c, 1995d; Jurgec 2010; Key 2007; McCarthy 2004; Potts *et al.* 2010; Smolensky 1995, 2006).¹⁵ Featural heads in outputs ‘host’ or ‘sponsor’ features. These heads in outputs usually have corresponding segments in the underlying representation that host the same feature although this is not necessarily guaranteed. The other segments in the domain lie

¹⁴ Proposals for *n*-ary features are not considered here but should be investigated in future research.

¹⁵ See also Anderson and Ewen (1987), Harris (1946), Leben (1982), and Zubizarreta (1979).

in a dependent relation with the featural head. For example, a surface form [nāsa] that has a [nasal] domain with [n] acting as the featural head and [ã] as a dependent has the form in (43).

(43) *Two-segment [nasal] domain with head n and dependent ã*




Unlike Potts *et al.* (2010), I assume that headed domains exist even when there are no dependents. In other words, feature spreading is not a prerequisite for headedness. For simplicity, I assume that underlying representations do not contain headed featural domains although the consequences of this should be considered in future work.

3.4.1 Schematic Representation

I use the following conventions in schematic flat representations of harmonic processes.

- Segments that are linked to the feature in consideration are indicated with the capital letters *T, U, S, W, B*.
- Segments that are *not* linked to the feature are indicated with the lowercase letters *t, u, s, w, b*.
- *T* = general trigger, *U/u* = target undergoer (with/without linked feature), *S* = strong trigger, *W* = weak trigger/host, *b* = blocker, *B* = blocker with disfavored linked feature.
- Heads are underlined. Non-heads are unmarked. For instance: T is a head, *t* is not a head.
- Featural domains are enclosed in parentheses. For example: a word with a four-segment domain: (TUUU); a word with a one-segment domain: (T)uuu.

(44) *Autosegmental representation of (TU)uu*



Thus, the flat representation (TU)uu is equivalent to the autosegmental representation in (44).

3.5 OPERATIONS OF RESTRICTIVE GEN

The GEN defined here allows the following operations following McCarthy (2009a, forthcoming-b):

- Linking a pre-existing feature to a single pre-existing segment
- Delinking a single pre-existing segment from a single pre-existing feature
- Inserting a feature that remains unlinked to any segment
- Inserting a feature and linking it to a single pre-existing segment
- Deleting a pre-existing feature that is not linked to any segment
- Deleting a pre-existing feature that is linked to only a single pre-existing segment

Given this set of operations, an input with single linked segment has the following corresponding outputs (45).

(45) *Eleven possible outputs generated from input uuTuu*

- | | | |
|----|-----------------------------|-----------------------------|
| a. | uu(<u>T</u>)uu | faithful |
| b. | u(<u>U</u>)uu | feature linking (leftward) |
| c. | uu(<u>TU</u>)u | feature linking (rightward) |
| d. | uutuu + [F] | feature delinking |
| e. | uu(<u>T</u>)uu + [F] | feature insertion |
| f. | (<u>U</u>)u(<u>T</u>)uu | feature insertion–linking |
| g. | u(<u>U</u>)(<u>T</u>)uu | feature insertion–linking |
| h. | uu(<u>T</u>)uu | feature insertion–linking |
| i. | uu(<u>T</u>)(<u>U</u>)u | feature insertion–linking |
| j. | uu(<u>T</u>)u(<u>U</u>) | feature insertion–linking |
| k. | uutuu | feature deletion–delinking |

The second example (46) is an input that lacks the spreading feature. An input with a floating feature is in (47). The final input with a featural domain can lead to the following outputs in (48), putting aside possible feature insertion. In this case, feature deletion is not possible because the input two segments linked to the feature because GEN can only delete features that are linked to a single segment.

(46) *Seven generated outputs from input uutuu*

- | | | |
|----|------------------|---------------------------|
| a. | uutuu | faithful |
| b. | uutuu + [F] | feature insertion |
| c. | (<u>U</u>)utuu | feature insertion–linking |
| d. | u(<u>U</u>)tuu | feature insertion–linking |
| e. | uu(<u>T</u>)uu | feature insertion–linking |
| f. | uut(<u>U</u>)u | feature insertion–linking |
| g. | uutu(<u>U</u>) | feature insertion–linking |

(47) *Thirteen generated outputs from input uutuu + [F]*

- | | | |
|----|------------------------|---------------------------|
| a. | uutuu + [F] | faithful |
| b. | (<u>U</u>)utuu | feature linking |
| c. | u(<u>U</u>)tuu | feature linking |
| d. | uu(<u>T</u>)uu | feature linking |
| e. | uut(<u>U</u>)u | feature linking |
| f. | uutu(<u>U</u>) | feature linking |
| g. | uutuu + [F] + [F] | feature insertion |
| h. | (<u>U</u>)utuu + [F] | feature insertion–linking |
| i. | u(<u>U</u>)tuu + [F] | feature insertion–linking |
| j. | uu(<u>T</u>)uu + [F] | feature insertion–linking |
| k. | uut(<u>U</u>)u + [F] | feature insertion–linking |
| l. | uutu(<u>U</u>) + [F] | feature insertion–linking |
| m. | uutuu | feature deletion |

(48) *Five generated outputs from input u(UT)uu (sans feature insertion)*

- | | | |
|----|------------------|-------------------------------|
| a. | u(UT)uu | faithful |
| b. | (UU <u>T</u>)uu | feature linking (leftward) |
| c. | u(UT <u>U</u>)u | feature linking (rightward) |
| d. | uu(<u>T</u>)uu | feature delinking (leftward) |
| e. | u(<u>U</u>)tuu | feature delinking (rightward) |

In order to keep the presentation simple, I do not fully explore feature delinking, deletion, or insertion and, additionally, floating features are not considered.

3.6 MOTIVATING FEATURE SPREADING

The present work uses the SHARE constraint to motivate feature spreading (McCarthy 2009a, forthcoming-b). SHARE lacks the undesired typological issues caused by other constraints – AGREE, ALIGN, and their variants – that have been used in analyses of harmony. The SHARE(feature) constraint motivates bidirectional feature spreading. This markedness constraint prefers for all segments in a word to be linked to the same feature as defined in (49).¹⁶

(49) SHARE(feature)

Assign a violation for every pair of adjacent segments not linked to the same instance of the feature.

For instance, SHARE is not violated when evaluating a three-segment output with a featural domain encompassing the entire output (50a). An output with one segment

¹⁶ See Kimper (2010b, 2011) for a positive formulation of SHARE that rewards feature spreading instead of penalizing spreading failure.

outside of the featural domain (50b) violates SHARE once while an output without a featural domain but with one segment linked (50c) violates SHARE twice as does an output that completely lacks the feature (50d). That SHARE is directionless is shown in (50e).

(50) *Violations assigned by SHARE*¹⁷

	SHARE
a. (U <u>T</u>)	
b. u(U <u>T</u>)	-1
c. uuT	-2
d. uut	-2
e. (<u>T</u>)u	-1

Each step of a derivation in Serial HG (aside from the very last step) is harmonically improving. Given an underlying form with one segment that is linked to the spreading feature /uuT/, SHARE motivates gradual feature spreading until the featural domain encompasses the entire word. When SHARE is weighted at a sufficiently high value, the derivation from /uuT/ will always be as in (51) because no other candidate produced by restrictive GEN is more harmonic than the outputs in (51). This is shown in the derivation in (52).

(51) *Harmonic improvement tableau for chain* < uuT, u(UT), (UT) >

/uuT/	SHARE
a. uuT <i>is less harmonic than</i>	-2
b. u(U <u>T</u>) <i>is less harmonic than</i>	-1
c. (U <u>T</u>)	

(52) *Derivational path of /uuT/ under SHARE*

Step 1: /uuT/ → u(UT)

/uuT/	SHARE
☞ a. u(U <u>T</u>)	-1
b. uuT	-2
c. uut	-2

¹⁷ SHARE also assigns two violations to surface *UU* if both segments are linked to two different instances of the feature as in (U)(U). In this paper, I do not consider this complicating possibility.

Step 2: /uuT/ → u(UT) → (UUT)

	u(UT)	SHARE
☞	d. (UUT)	
	e. u(UT)	-1
	f. uuT	-2

Step 3: /uuT/ → u(UT) → (UUT) → [(UUT)]

	(UUT)	SHARE
☞	g. (UUT)	
	h. u(UT)	-1

At the last step of this derivation, the input to GEN is the same as the output of EVAL, and so no further harmonic improvement can be made, leading the derivation to converge.

4 Directional Asymmetries

Languages with harmony may favor spreading in one direction over the opposite direction. In one case, some languages favor one direction to such an extent that the feature spreads in one direction but not the other. Additionally, harmonizing languages may spread in both directions but still favor one direction through interactions with other restrictions. With a blocking restriction, harmony may be blocked in the disfavored *weak* direction but not blocked in the *strong* direction. With a locality restriction, harmony may be bounded in the weak direction but unbounded in the strong direction. These asymmetrical preferences in direction can be modeled in Serial HG. First, I introduce the restrictions on direction (§4.1) and then discuss the interactions with blocking (§4.2) and with locality (§4.3).

4.1 DIRECTIONAL SPREADING AND DEPENDENT CONSTRAINTS

Asymmetries are found in harmony systems with respect to direction of feature spreading. A symmetrical system spreads features bidirectionally while an asymmetrical system spreads in only one direction. Since SHARE is not a directional constraint, directional restrictions on feature spreading require further constraints that penalize spreading in a particular direction. This is formalized in (53) and (54) as constraints against dependents with heads hosting the feature that are relativized by position of head with respect to dependent. Thus, *DEPENDENT-RIGHT penalizes dependents that result from rightward (progressive) spreading while its counterpart penalizes leftward (regressive) spreading. As a feature spreads serially through a derivation, the violations from directional *DEPENDENT-RIGHT/LEFT constraint linearly increase as the number of dependents increase and the featural domain grows larger.

(53) *DEPENDENT-RIGHT(feature) (*DP-RIGHT)

Assign a violation for every dependent in a featural domain that lies to the right of its head.

(54) *DEPENDENT-LEFT(feature) (*DP-LEFT)

Assign a violation for every dependent in a featural domain that lies to the left of its head.

The reason for this non-categorical formation is so that at every step of the derivation there is a directional penalty for feature spreading – this allows for the possibility of additive constraint interaction when other constraints are violated. It is this technique which is central to the Serial HG analysis here and will be exploited in following sections.

The directional dependent restrictions interact with pro-spreading SHARE to produce a small four-language typology (55).

(55) *Four possible languages*

- a. /uuTuu/ → [uuTuu]
- b. /uuTuu/ → [(UUTTUU)]
- c. /uuTuu/ → [(UUT)uu]
- d. /uuTuu/ → [uu(TUU)]

One way to generate the language that lacks harmony – without considering any other constraints – is to have the weights of the constraints preventing spreading in each direction outrank the pro-spreading SHARE as in (56).

(56) *Weighting conditions for lack of harmony*

/uuTuu/ → [uuTuu]

$w(*\text{DEPENDENT-RIGHT}) > w(\text{SHARE})$

$w(*\text{DEPENDENT-LEFT}) > w(\text{SHARE})$

(57) *Derivation for /uuTuu/ → [uuTuu]*

	2	2	1	
/uuTuu/	*DP-RIGHT	*DP-LEFT	SHARE	\mathcal{H}
a. u(U <u>T</u>)uu		-1	-3	-5
b. uu(<u>T</u>)u	-1		-3	-5
☞ c. uuTuu			-4	-4

A convenient way to display weighting conditions is through a comparative tableau. Comparative tableaux were developed by Prince (2002a, 2002b) as a means of showing requisite ranking conditions in OT. The concept can be applied to HG as well as shown by Becker and Pater (2007). The comparative tableau for (57) is shown in (58). A

comparative tableau shows comparisons between the optimal or winning candidate (W) and suboptimal or losing candidates (L). In each comparison, every constraint that prefers the optimal form is indicated with a plus (+) while the constraints favoring the suboptimal forms are indicated with a minus (-). The numbers refer to the *margin of separation*, which is the absolute value of the penalty difference between the winner and the loser. As an example, the comparison in (58a) between winner *uuTuu* and loser *uu(TU)u* indicates that *DEPENDENT-RIGHT favors the winner while SHARE favors the loser. The margin of separation of winner *uuTuu* with its total penalty of -4 and loser *uu(TU)u* with its penalty of -5 is 1. This translates into the following weighting condition necessary for this derivation: one times the weight of *DEPENDENT-RIGHT must be greater than one times the weight of SHARE. Although the same information is available by comparing (57c) and (57a) above, a comparative tableau display is more succinct. In this paper, I show both derivational violation tableau sets and comparative tableaux for clarity.

(58) *Comparative tableau for /uuTuu/ → [uuTuu]*

<i>input</i>	<i>W ~ L</i>	SHARE	*DP-RIGHT	*DP-LEFT
a. uuTuu	uuTuu ~ uu(TU)u	-1	+1	
b. uuTuu	uuTuu ~ u(UT)uu	-1		+1

In bidirectional systems, the weights of both *DEPENDENT constraints must be relatively low so that they have no effect on the SHARE constraint's bidirectional force. Thus, the weight of SHARE must be greater than the weights both *DEPENDENT-RIGHT and *DEPENDENT-LEFT as in (59). If this weighting condition is met, then the optimal solution at the first step of the derivation is to spread the feature in either direction. The weights of the *DEPENDENT constraints with respect to each other is irrelevant in this schematic grammar. If their weights are equal as in (60), then there is a derivational choice to first spread leftward /uuTuu/ → u(UT)uu or rightward /uuTuu/ → uu(TU)u. This choice is not theoretically interesting here since the derivation converges on the same final form no matter in which direction the derivation proceeds. In the derivation (60), I only show one directional choice.

(59) *Weighting conditions for bidirectional harmony*

/uuTuu/ → [(UUTUU)]

$w(\text{SHARE}) > w(*\text{DEPENDENT-RIGHT})$

$w(\text{SHARE}) > w(*\text{DEPENDENT-LEFT})$

(60) Derivation for /uuTuu/ → [(UUTUU)]

Step 1: /uuTuu/ → u(UT)uu

	2	1	1	
/uuTuu/	SHARE	*DP-RIGHT	*DP-LEFT	\mathcal{H}
☞ a. u(UT)uu	-3		-1	-7
b. uuTuu	-4			-8

Step 2: /uuTuu/ → u(UT)uu → u(UTU)u

u(UT)uu	SHARE	*DP-RIGHT	*DP-LEFT	\mathcal{H}
☞ c. u(UTU)u	-2	-1	-1	-6
d. u(UT)uu	-3		-1	-7
e. uuTuu	-4			-8

Step 3: /uuTuu/ → u(UT)uu → u(UTU)u → (UUTU)u

u(UTU)u	SHARE	*DP-RIGHT	*DP-LEFT	\mathcal{H}
☞ f. (UUTU)u	-1	-1	-2	-5
g. u(UTU)u	-2	-1	-1	-6
h. uu(TU)u	-3	-1		-7

Step 4: /uuTuu/ → u(UT)uu → ... → (UUTU)u → (UUTUU)

	2	1	1	
(UUTU)u	SHARE	*DP-RIGHT	*DP-LEFT	\mathcal{H}
☞ i. (UUTUU)		-2	-2	-4
j. (UUTU)u	-1	-1	-2	-5

Step 5: /uuTuu/ → u(UT)uu → ... → (UUTUU) → [(UUTUU)]

(UUTUU)	SHARE	*DP-RIGHT	*DP-LEFT	\mathcal{H}
☞ k. (UUTUU)		-2	-2	-4
l. u(UUTUU)	-1	-2	-1	-5
m. (UUTU)u	-1	-1	-2	-5

(61) Comparative tableau for /uuTuu/ → [(UUTUU)]

input	$W \sim L$	SHARE	*DP-RIGHT	*DP-LEFT
uuTuu	u(UT)uu ~ uuTuu	+1		-1
u(UT)uu	u(UTU)u ~ u(UT)uu	+1	-1	

In unidirectional systems, one directional restriction must be severe enough to prevent the bidirectional impetus of SHARE while the other directional restriction is lesser and

thus unable to overcome SHARE. Therefore, SHARE must outweigh one directional *DEPENDENT constraint while the other *DEPENDENT constraint outweighs SHARE. For instance, in leftward spreading systems (62), spreading the feature regressively at the first derivational step is optimal over spreading progressively since the weight of *DEPENDENT-RIGHT is greater than the weight of *DEPENDENT-LEFT. And, because the weight of SHARE is greater than *DEPENDENT-LEFT, not spreading is suboptimal to spreading regressively. These weighting conditions apply at each derivational step leading to further iterative regressive harmony but no progressive harmony. For unidirectional progressive harmony, the reverse weighting condition is required: the weight of SHARE must be greater than *DEPENDENT-RIGHT, and the weight of *DEPENDENT-LEFT must be greater than SHARE.

(62) *Weighting conditions for unidirectional (regressive) harmony*

/uuTuu/ → [(UUT)uu]

$w(*\text{DEPENDENT-RIGHT}) > w(\text{SHARE}) > w(*\text{DEPENDENT-LEFT})$

(63) *Derivation for /uuTuu/ → [(UUT)uu]*

Step 1: /uuTuu/ → (UUT)uu

		3	2	1	
	/uuTuu/	*DP-RIGHT	SHARE	*DP-LEFT	\mathcal{H}
☞	a. u(U <u>T</u>)uu		-3	-1	-7
	b. uu(<u>T</u>)u	-1	-3		-9
	c. uuTuu		-4		-8

Step 2: /uuTuu/ → u(UT)uu → (UUT)uu

	u(U <u>T</u>)uu	*DP-RIGHT	SHARE	*DP-LEFT	\mathcal{H}
☞	d. (U <u>U</u> T)uu		-2	-2	-6
	e. u(U <u>T</u>)u	-1	-2	-1	-8
	f. u(U <u>T</u>)uu		-3	-1	-7
	g. uuTuu		-4		-8

Step 3: /uuTuu/ → u(UT)uu → (UUT)uu → [(UUT)uu]

	(U <u>U</u> T)uu	*DP-RIGHT	SHARE	*DP-LEFT	\mathcal{H}
	h. (U <u>U</u> T)u	-1	-1	-2	-7
☞	i. (U <u>U</u> T)uu		-2	-2	-6
	j. u(U <u>T</u>)uu		-3	-1	-7

(64) *Comparative tableau for /uuTuu/ → [(UUT)uu]*

<i>input</i>	<i>W ~ L</i>	SHARE	*DP-RIGHT	*DP-LEFT
(UUT)uu	(UUT)uu ~ (UUT <u>U</u>)u	-1	+1	
uuTu <u>u</u>	u(U <u>T</u>)uu ~ uuTu <u>u</u>	+1		-1

Now that an asymmetrical preference for directional feature spreading has been modeled formally, we can see in the following sections how other restrictions interact with this grammatical preference, starting with directional blocking (§4.2).

4.2 DIRECTIONAL BLOCKING

Harmony systems may include blocking (or *opaque*) segments that prevent harmony from iterating throughout a word. In nasal harmony, less sonorous segments like liquids, fricatives, and oral stops often prevent spreading of [nasal]. The feature cannot be linked to these segments, and these segments cannot be skipped over. Arabela has progressive nasal harmony that is triggered by nasal stops and a nasalized laryngeal glide /m, n, ĥ/ and targets vowels and glides (65) (Rich 1963).¹⁸ Harmony is blocked by liquids, fricatives, and oral stops (66).

(65) *Arabela: Progressive nasal harmony*

- a. /mjanu/ → mĵænũ ‘swallow’
- b. /nuwa/ → nũwã ‘partridge’
- c. /ĥuwa/ → ĥũwã ‘yellow bird’
- d. /komaĥi/ → komãĥĩ? ‘over there’
- e. /ĥijani/ → ĥĩĵænĩ ‘old woman’

(66) *Arabela: Nasal harmony blocked*

- a. /njaari/ → nĵææri? ‘he laid it down’ *nĵææri?
- b. /naanri/ → nããn^dri? ‘type of demon’ *nããnri?
- c. /ĥjuuʃjano/ → ĥĵũũʃ:janõ ‘where I fished’ *ĥĵũũʃ:ĵãnõ
- d. /kanaake/ → kanããyĩ? ‘our (EXCL) father’ *kanããyĩ?
- e. /nasekeri (te)/ → nãsxiri ‘did he say it?’ *nãsxĩĩĩ
- f. /mante/ → mãntĩ? ‘moth’ *mãntĩ?

In the case of bidirectional harmony, blocking segments can block feature spreading from both directions (67). However, there are other languages where one direction appears to be stronger than the other in the sense that feature spreading in the strong direction is undeterred by blocking segments while it is blocked in the weaker direction. Shown in (68) is a schematic case of a blocking segment *b* preventing feature spreading in the disfavored weak progressive direction and the blocking segment’s failure to prevent

¹⁸ Arabela is an endangered Zaparoan language spoken in northeastern Peru.

spreading in the preferred strong regressive direction. Under leftward spreading, the otherwise blocking segment allows the feature to be associated with it as *B*.

(67) *Segment b blocks feature spreading bidirectionally*



(68) *Segment b blocks feature spreading unidirectionally*



Of course, the other possible language would lack any apparent blocking restriction, and the segments corresponding to blockers in the first two languages would be identical to undergoers.

(69) *Segment b is an undergoer like U*



The problem of direction-specific blocking was first identified in Cook (1987) and Davis (1995). The Harmonic Serialist analysis in McCarthy (2009a: 39–43) with its ranked constraints cannot generate directional blocking. Partly motivated by this, cases of directional blocking are questioned. Although there are problems with the data from several of these languages, some of these languages may still turn out to exemplify directional blocking. This aside, Chilcotin has a fairly clear case of direction-specific blocking, which is presented next (§4.2.1).

4.2.1 Chilcotin Vowel Flattening: Direction-specific Blocking

In Chilcotin (Athabaskan, British Columbia), pharyngealized coronal consonants trigger long-distance retraction of vowels by iteratively spreading the feature Retracted Tongue Root [RTR] bidirectionally (Krauss 1975; Cook 1976, 1983, 1987, 1989, 1993; Hansson 2001, 2007). The [RTR] triggers can occur in either prefixes or stems. *Flattened* vowels occur in the context of retracting *flat* coronals while *sharp* vowels occur everywhere else. The default forms of underlying vowels and their corresponding retracted forms are abundantly exemplified via vowel alternations. A member of an inflectional paradigm (70) that lacks a retracting coronal shows the default vowel values. (71) shows that underlying /æ, ε, i/ surface as flattened [ɑ, ə, ɔi] (respectively) when retracting /s̺^s, t̺^{sh}/ occurs in the word.

(70) *Elsewhere realization*

- a. [t^hæneʒɛʃtæn] ‘I’m drunk’
 b. [pɛtʃ^hit] ‘his grandfather’

(71) *Bidirectional [RTR] harmony*

- a. /t^hæneʒɛʃtæn/ → [t^hanəjəʃtæn] ‘he’s drunk’
 b. /pɛtʃ^hit/ → [pɛtʃ^hɪt] ‘his head’

Chilcotin’s [RTR] harmony is blocked under progressive spreading by front velars. However, velars do not block harmony under regressive spreading. In (72), /s^ɹ, z^ɹ/ trigger the retraction of the preceding vowels /ɛ, i, æ/ to surface as [ə, e, ɑ], but retraction is prevented when the velars /k, k’/ intervene between the vowel and the preceding trigger.¹⁹ Thus, the hypothetical forms [*s^ɹəkən, *k^wətət^heʒ^ɹk’æn, *nates^ɹk’æn, *k^wətəz^ɹək’æç], which would be expected if there were no blocking, are illicit.

(72) *Front velar blocking of progressive [RTR] harmony*

- a. /s^ɹɛkən/ → s^ɹəkən ‘it’s dry’
 b. /k^wɛtət^hiz^ɹk’æn/ → k^wətət^heʒ^ɹk’æn ‘it’s started to burn’
 c. /nætɪs^ɹ(ɛt)k’æn/ → nates^ɹk’æn ‘it’s burning again’
 d. /ɬæ k^wɛtəz^ɹək’æç/ → k^wətəz^ɹək’æç ‘don’t make a fire’

Although velars block progressive harmony, they cannot block regressive harmony. In (73), the triggers /z^ɹ, tʃ^h, s^ɹ/ successfully retract all preceding underlying vowels /æ, i, ɛ, u/ to their flattened counterparts [ɑ, e, ə, o] in spite of the presence of intervening velars /k, k^w/. Thus, the hypothetical forms [*t^hænɪŋk’az^ɹ, *k^wɛnɪŋk’az^ɹ, *k^wɛt^hɛkoljɔz^ɹ, *næk^wənɛtʃ^hs^ɹ] with regressive harmony blocked are illicit.

(73) *No blocking of regressive [RTR] harmony*

- a. /t^hænɪŋk’æz^ɹ/ → t^hanɛŋk’az^ɹ ‘water is getting cold’
 b. /k^wɛnɪŋk’æz^ɹ/ → k^wənɛŋk’az^ɹ ‘water’s cold’
 c. /k^wɛt^hɛkʊljúz^ɹ/ → k^wət^həkʊljɔz^ɹ ‘he is rich’
 d. /næk^wɛnɪtʃ^hs^ɹ/ → nak^wənɛtʃ^hs^ɹ ‘fire’s gone out’

4.2.2 *Blocking and Direction*

In OT grammars, blocking in harmony systems is typically motivated by restrictions on the co-occurrence of a set of features with the spread feature. For instance, since fricatives are commonly blockers of nasal harmony, the explanation is that [nasal, +continuant, –sonorant] is an disfavored feature specification. This is formalized in Serial HG directly

¹⁹ The retracted form of underlying /i/ is also dependent on directional effects: the vowel surfaces as [e] when followed by a pharyngealizing trigger and surfaces as [ɛi] when preceded by a pharyngealizing trigger. Interestingly, if /i/ is flanked by triggers on both sides, both surface variants [i~ɛi] are possible in what Cook describes as apparent free variation. I have not attempted to account for this detail here.

as a constraint (as in OT). In a serial derivation, the harmonizing feature iteratively associates to segments when the feature specification is compatible and stops when it reaches a segment in which associating the harmonizing feature would otherwise lead to an incompatible feature specification. I schematize the feature set of these blocking segments as b . When the privative spreading feature associates with feature set b , it has the disfavored feature specification B . Thus, the generic co-occurrence constraint in (74):

(74) *B

Assign a violation for every segment with a feature set of B .

Concentrating on just the spreading–blocking interaction, languages with segments that block feature spreading have the weight of the co-occurrence restriction greater than the weight of pro-spreading SHARE as in (75). Languages with potential blocking segments that act as undergoer segments have the reverse weighting condition as in the derivation in (76).

(75) A language with blocking:

$$w(*B) > w(\text{SHARE})$$

Step 1: /bT/ → [bT]

	2	1	
/bT/	*B	SHARE	\mathcal{H}
a. (BT)	-1		-2
b. bT		-1	-1

(76) A language without blocking:

$$w(\text{SHARE}) > w(*B)$$

Step 1: /bT/ → (BT)

	2	1	
/bT/	SHARE	*B	\mathcal{H}
a. (BT)		-1	-1
b. bT	-1		-2

Step 2: /bT/ → (BT) → [(BT)]

(BT)	SHARE	*B	\mathcal{H}
c. (BT)		-1	-1

The featural co-occurrence constraint interacts with the pro-spreading constraint and the directional anti-spreading constraints to generate nine possible languages (77).

(77) *Set of nine typologically possible languages*

- a. /ubuuTuubu/ → [ubuuTuubu]
- b. /ubuuTuubu/ → [ub(UUT)uubu]
- c. /ubuuTuubu/ → [(UBUUT)uubu]
- d. /ubuuTuubu/ → [ubuu(TUU)bu]
- e. /ubuuTuubu/ → [ubuu(TUUBU)]
- f. /ubuuTuubu/ → [ub(UUTUU)bu]
- g. /ubuuTuubu/ → [(UBUUTUUBU)]
- h. /ubuuTuubu/ → [(UBUUTUU)bu]
- i. /ubuuTuubu/ → [ub(UUTUUBU)]

This typology includes languages without harmony (77a), languages with bidirectional and unidirectional harmony with and without blocking (77b–g), and languages with bidirectional harmony with unidirectional blocking (77h, i). What is of interest here are the last two languages with asymmetrical direction-specific blocking of bidirectional spreading.

A language like Chilcotin has bidirectional harmony with the progressive harmony blockable and regressive harmony unblockable. Its weighting conditions are in (78).

(78) *Weighting conditions for bidirectional harmony, unidirectional blocking*

$$\begin{aligned} /buTub/ &\rightarrow [(BUT)b] \\ w(*DP\text{-RIGHT}) + w(*B) &> w(\text{SHARE}) > w(*DP\text{-RIGHT}) \\ &w(\text{SHARE}) > w(*DP\text{-LEFT}) + w(*B) \end{aligned}$$

Like all languages with bidirectional harmony, the weights of both anti-spreading constraints *DEPENDENT-RIGHT and *DEPENDENT-LEFT are less than the weight of SHARE as shown above in (59)–(61). However, in order to generate the directional asymmetry where regressive spreading is stronger than progressive spreading, the constraint penalizing progressive spreading *DEPENDENT-RIGHT must have its weight greater than that of *DEPENDENT-LEFT. In the initial step of the derivation in (79), this inequality results in spreading regressively being the optimal solution. In the subsequent step, the feature spreads progressively. In the third step, spreading progressively to the disfavored *b* segment is not possible because the gang effect of *DEPENDENT-RIGHT and *B produces a penalty that is greater than the additive penalty assigned by *DEPENDENT-LEFT and *B. And, since the summed penalty of *DEPENDENT-LEFT and *B is less than penalty assigned by SHARE to the faithful candidate, the feature spreads regressively to the disfavored *b* segment. Similarly, the derivation converges in the next step because the sum of the weights of *DEPENDENT-RIGHT and *B is greater than SHARE. Thus, spreading to favored segments in both directions is possible as is spreading regressively to disfavored segments while spreading to disfavored segments progressively is illicit.

(79) Derivation for /buTub/ → [(BUTU)b]

Step 1: /buTub/ → b(UT)ub

	4	3	2	1	
/buTub/	SHARE	*DP-RIGHT	*B	*DP-LEFT	\mathcal{H}
☞ a. b(UT)ub	-3			-1	-13
b. bu(TU)b	-3	-1			-15
c. buTub	-4				-16

Step 2: /buTub/ → b(UT)ub → b(UTU)b

b(UT)ub	SHARE	*DP-RIGHT	*B	*DP-LEFT	\mathcal{H}
☞ d. b(UTU)b	-2	-1		-1	-12
e. b(UT)ub	-3			-1	-13

Step 3: /buTub/ → b(UT)ub → b(UTU)b → (BUTU)b

b(UTU)b	SHARE	*DP-RIGHT	*B	*DP-LEFT	\mathcal{H}
☞ f. (BUTU)b	-1	-1	-1	-2	-11
g. b(UTUB)	-1	-2	-1	-1	-13
h. b(UTU)b	-2	-1		-1	-12

Step 4: /buTub/ → b(UT)ub → ... → (BUTU)b → [(BUTU)b]

(BUTU)b	SHARE	*DP-RIGHT	*B	*DP-LEFT	\mathcal{H}
i. (BUTUB)		-2	-2	-2	-12
☞ j. (BUTU)b	-1	-1	-1	-2	-11

(80) Comparative tableau for /buTub/ → [(BUTU)b]


input	$W \sim L$	SHARE	*DP-RIGHT	*DP-LEFT	*B
buTub	b(UT)ub ~ buTub	+1		-1	
b(UT)ub	b(UTU)b ~ b(UT)ub	+1	-1		
b(UTU)b	(BUTU)b ~ b(UTU)b	+1		-1	-1
(BUTU)b	(BUTU)b ~ (BUTUB)	-1	+1		+1

4.3 DIRECTIONAL BOUNDEDNESS


Typically, harmony results in unbounded spreading of the harmonizing feature (81). However, there also seem to be some cases of bounded spreading (82). And, there is at

least one language that is an instance of asymmetrical boundedness, in which spreading is unbounded in the strong direction but bounded in the weak direction (83).


(81) *Feature spreading is (bidirectionally) iterative*



(82) *Feature spreading is bidirectionally bounded*



(83) *Feature spreading is unidirectionally bounded*



However, straightforward examples of bounded spreading of nontonal features is uncommon. This and in combination with the fact that formalizing noniterative spreading in parallel or is problematic has led to a claim that feature spreading is always unbounded (Kaplan 2008b). Here, I assume that feature spreading may be bounded and that the boundedness can straightforwardly formalized into constraints that penalize nonlocal spreading. I first present some examples of bounded feature spreading (§4.3.1) before examining the interaction of boundedness and directional restrictions (§4.3.2).

4.3.1 *Bounds on Feature Spreading*

Some feature spreading systems display boundedness. There are two types of bounds: (i) strictly local noniterative spreading to an adjacent segment or syllable/mora and (ii) semi-iterative metrical spreading where the spreading distance is limited to two moras or syllables. Both of these types exist in both segmental feature spreading and tonal feature spreading although examples from segmental phenomena are rare.

As an example of strictly local spreading, [RTR] spreading (*emphasis*) from uvular and pharyngeal triggers in some Arabic dialects is bounded to an adjacent syllable or mora (Watson 2002). These uvulars and pharyngeals are in contrast with coronal emphatic triggers that spread the feature iteratively. The examples of noniterative spreading from §2.6 are repeated below in (84).

(84) *Cairene Arabic: Bounded spreading from uvulars and pharyngeals*

- a. /qetel/ → (q̣a)tel ‘he killed’
 b. /ʕemel/ → (ʕa)mel ‘he did’

Tone doubling (85) parallels strictly local spreading of place features. Several instances of high tone spreading in Bantu are also restricted to an adjacent tone-bearing syllable or mora. Such a pattern is found in Ekegusii and Sesotho.

(85) *Bounded tone doubling*

- | | | | | |
|----|-----------|---|-------------------|-------------------|
| a. | /úmumumu/ | → | (<u>ú</u>)mumu | *(<u>ú</u> úúúú) |
| b. | /óssoss/ | → | (<u>ó</u>)ssoss | *(<u>ó</u> óóóó) |

In Ekegusii, also Gusii or Kisii (Bantu E.10, southwestern Kenya), underlying high tones are associated with the first mora in a lexical class of verb roots (Bickmore 1997, 1999). This high tone generally spreads to an adjacent mora, which may be in either the same syllable or the following syllable and within the root or in a following suffix (86).

(86) *Ekegusii: Local noniterative high tone spreading*

- | | | | | |
|----|-----------------|---|-----------------------|-------------------|
| a. | /ko-tám-a/ | → | yo(<u>tám</u> á) | ‘to run away’ |
| b. | /ko-símek-a/ | → | yo(<u>sím</u> é)ka | ‘to plant’ |
| c. | /ko-tám-er-a/ | → | yo(<u>tám</u> é)ra | ‘to run away for’ |
| d. | /ko-káan-er-a/ | → | yo(<u>káá</u>)nera | ‘to deny for’ |
| e. | /ko-símek-er-a/ | → | yo(<u>sím</u> é)kera | ‘to plant for’ |
| f. | /ko-bwéekan-a/ | → | ko(<u>bwéé</u>)kana | ‘to resemble’ |

Local tone spreading is also found in Sesotho, or Southern Sotho (Bantu s.30; Lesotho, South Africa, Botswana) (Zerbian 2006). Lexical high tones linked to the first syllable of the verbal root spread to an adjacent syllable but no further (87). Unlike Ekegusii, Sesotho high spreading is subject to a further (soft) restriction that disfavors spreading onto a word-final syllable (87b). The same bounded spreading also occurs with high-toned subject prefixes (87f, g).

(87) *Sesotho: Local noniterative high tone spreading*

- | | | | | |
|----|-------------------|---|-------------------|----------------------|
| a. | /go ǀǂá/ | → | go (ǀǂá) | (no translation) |
| b. | /go bína/ | → | go (bí)na | (no translation) |
| c. | /go bólaja/ | → | go (bólá)ja | (no translation) |
| d. | /go ágisanja/ | → | go (áǂǂ)sanja | ‘to live in harmony’ |
| e. | /go khúrumeletsa/ | → | go (khúrú)meletsa | ‘to cover for’ |
| f. | /ó-a-lema/ | → | (óá)lema | ‘she is ploughing’ |
| g. | /ó-a-lebala/ | → | (óá)lebala | ‘she is forgetting’ |

More interesting are instances of boundedness in which spreading iterates once but no further. The most well-known cases are where a high tone spreads two moras from the tonal head but unbounded spreading is illicit.

(88) *Semi-iterative bounded tone spreading*

- a. /μμμμμ/ → (μμμ)μμ *(μμμμμ), *(μμ)μμμ
 b. /óσσσσ/ → (óó)σσ *(óóóó), *(óó)σσσ

For example, Zezura Shona (Bantu s.10, Zimbabwe) has an underlying high tone that is linked to the initial syllable of a verb root (Myers 1987). The high tone can spread rightwards two syllables but no further as in (89). Other tonal languages with this same binary spreading restriction include Sengwaketse Tswana, Venda, Kalanga, Tonga, and Sukuma.

(89) *Zezura Shona: Disyllabic tone spreading*

- a. /tóresa/ → (tórésá) ‘take (CAUS)’
 b. /tóresera/ → (tórésé)ra ‘take (CAUS, APPL)’
 c. /tóresesera/ → (tórésé)sera ‘take (CAUS, INTENS, APPL)’

A similar restriction in place feature spreading occurs in Chilcotin. However, in this language, the bimoraic restriction applies only progressively: regressive [RTR] spreading in Chilcotin is unbounded as shown above in §4.2.1. The vowel system of Chilcotin is shown in (90). I posit that tense (or full) vowels are bimoraic and lax (or reduced) vowels are monomoraic. Unlike regressive spreading, the words in (91) appear to restrict spreading of [RTR] from the coronal trigger(s) /s̺/ (z̺)/ to an adjacent bimoraic vowel. (Thus, hypothetical [*s̺ʰitʰan, *s̺ʰitʰəin, *ʔanatʰəz̺ʰitʰəin, *natʰəz̺ʰipəin, *s̺ʰantʰ, *s̺ʰantʰi] are illicit.) However, spreading may iterate once if the adjacent vowel is monomoraic as in (92). Thus, it appears that progressive spreading is bounded bimoraically in parallel with the tonal examples. The boundedness restriction is only applicable when spreading in the weak rightwards direction since leftward spreading has no bound other than a word boundary.

(90) *Chilcotin vowel system*

Tense		Lax	
i	u	ɪ	ʊ
æ		ɛ	
Retracted Tense		Retracted Lax	
e ~ əi	o	ɔɪ	ɔ
ɑ		ə	

(91) *Chilcotin*: [RTR] spreading to adjacent bimoraic vowel²⁰

- | | | | | |
|----|------------------------|---|-----------------|--------------------------|
| a. | /s̥(ɛ)itʰæn/ | → | s̥ʔitʰæn | ‘I placed a long object’ |
| b. | /s̥itʰin/ | → | s̥ʔitʰin | ‘I’m sleeping’ |
| c. | /ʔænætʰɛs̥(ɛ)i(t)tʰin/ | → | ʔanatʰəz̥ʔitʰin | ‘we started working’ |
| d. | /nætʰɛs̥(ɛ)i(t)(t)pin/ | → | natʰəz̥ʔipin | ‘we’re swimming away’ |
| e. | /s̥æntæn/ | → | s̥antæn | ‘son-in-law’ |
| f. | /s̥æntinʔ/ | → | s̥antʰ | ‘widow’ |

(92) *Chilcotin*: [RTR] spreading to adjacent monomoraic vowel and following syllable

- | | | | | | |
|----|--------------|---|------------|-----------------------------|-------------|
| a. | /s̥ɛlin/ | → | s̥əlɛin | ‘it’s got bloody’ | *s̥əlɛin |
| b. | /s̥ɛtʰin/ | → | s̥ətʰɛin | ‘he’s comatose’ | *s̥ətʰin |
| c. | /tʰɛs̥ɛtʰæn/ | → | tʰəs̥ətʰan | ‘long object is on surface’ | *tʰəs̥ətʰæn |

A final detail with the Chilcotin data involves the final vowels in (92). I assume that the entire vowel – that is, both moras – are associated with the [RTR] feature because it has the same realization when it is adjacent to the coronal trigger as can be seen in (91).

4.3.2 Boundedness and Direction

An asymmetrical direction-specific boundedness restriction can be analyzed in Serial HG much in same way as direction-specific blocking. The boundedness restriction is formalized directly as a markedness constraint that penalizes featural dependents that are outside of the bound. A semi-iterative bimoraic restriction can be expressed as (93) while the strictly local restriction can be expressed as (94). The definition of being *local* may differ depending on the type of spreading involved. For instance, in tone spreading, the locality restriction may require the bound to be not further than one mora or not further than one syllable. In segmental feature spreading, the bound may be not further than one segment.

(93) DEPENDENT-BINARITY (DP-BINARITY)

Assign a violation for every dependent of a featural domain that is further than two moras from the featural head.

(94) DEPENDENT-LOCAL (DP-LOCAL)

Assign a violation for every dependent of a featural domain that is not *local* to the featural head.

²⁰ Some of the underlying representations here are fairly abstract morphophonemic representations.

(95) *Set of nine typologically possible languages*

- a. /uuuuTuuuu/ → [uuuu(T)uuuu]
- b. /uuuuTuuuu/ → [uuu(UT)uuuu]
- c. /uuuuTuuuu/ → [(UUUUT)uuuu]
- d. /uuuuTuuuu/ → [uuuu(TU)uuu]
- e. /uuuuTuuuu/ → [uuuu(TUUUU)]
- f. /uuuuTuuuu/ → [uuu(UTU)uuu]
- g. /uuuuTuuuu/ → [(UUUUTUUUU)]
- h. /uuuuTuuuu/ → [(UUUUTU)uuu]
- i. /uuuuTuuuu/ → [uuu(UTUUUU)]

Taking *DEPENDENT-LOCAL* as the featural bound restriction, this constraint interacts with *SHARE* and the directional constraints to generate languages with directional boundedness. The regressive-as-strong-direction version of directional boundedness has the weighting conditions in (96). In the derivation (97), the feature spreads in both directions to an adjacent segment in steps 1 and 2 due to *SHARE*'s weight being greater than the individual weights of **DEPENDENT-RIGHT* and **DEPENDENT-LEFT*. In step 3, the feature spreads iteratively to a nonadjacent segment in the regressive direction rather than remaining faithful because the weight of *SHARE* is also greater than the combined weights of **DEPENDENT-LEFT* and the locality constraint. Additionally, since the additive penalty assigned by **DEPENDENT-RIGHT* and *DEPENDENT-LOCAL* (which is -13) is greater than the additive penalty assigned by **DEPENDENT-LEFT* and *DEPENDENT-LOCAL* (which is -11), spreading regressively is optimal over spreading progressively. In the final step of the derivation, progressive spreading is not possible due to the additive weight of **DEPENDENT-RIGHT* and *DEPENDENT-LOCAL* being greater than the weight of pro-spreading *SHARE*, and so the derivation converges on the form with unbounded regressive spreading and bounded progressive spreading.

(96) *Weighting conditions for bidirectional harmony, unidirectional boundedness*

/uuTuuu/ → [(UUTU)u]

$$w(*DP-RIGHT) + w(DP-LOCAL) > w(SHARE) > w(*DP-RIGHT)$$

$$w(SHARE) > w(*DP-LEFT) + w(DP-LOCAL)$$

(97) Derivation for /uuTuu/ → [(UUTU)u]

Step 1: /uuTuu/ → u(UT)uu

	4	3	2	1	
	SHARE	*DP-RIGHT	DP-LOCAL	*DP-LEFT	\mathcal{H}
/uuTuu/					
☞ a. u(UT)uu	-3			-1	-13
b. uu(TU)u	-3	-1			-15
c. uuTuu	-4				-16

Step 2: /uuTuu/ → u(UT)uu → u(UTU)u

u(UT)uu					
☞ d. u(UTU)u	-2	-1		-1	-12
e. u(UT)uu	-3			-1	-13

Step 3: /uuTuu/ → u(UT)uu → u(UTU)u → (UUTU)u

u(UTU)u					
☞ f. (UUTU)u	-1	-1	-1	-2	-11
g. u(UTUU)	-1	-2	-1	-1	-13
h. u(UTU)u	-2	-1		-1	-12

Step 4: /uuTuu/ → u(UT)uu → ... → (UUTU)u → [(UUTU)u]

(UUTU)u					
i. (UUTUU)		-2	-2	-2	-12
☞ j. (UUTU)u	-1	-1	-1	-2	-11

(98) Comparative tableau for /uuTuu/ → [(UUTU)u]

input	$W \sim L$	SHARE	*DP-RIGHT	*DP-LEFT	DP-LOCAL
uuTuu	u(UT)uu ~ uuTuu	+1		-1	
u(UT)uu	u(UTU)u ~ u(UT)uu	+1	-1		
u(UTU)u	(UUTU)u ~ u(UTU)u	+1		-1	-1
(UUTU)u	(UUTU)u ~ (UUTUU)	-1	+1		+1


5 Trigger Condition Asymmetries

The other type of asymmetry modeled here is an asymmetry in conditions on trigger types. In languages of these types, one trigger is strong so that it either spreads the feature further or is unable to be blocked by opaque segments. The other trigger is weaker with respect to these two properties. First, the interaction of trigger type and boundedness is analyzed followed by the interaction of trigger type and blocking.


5.1 TRIGGER CONDITIONS AND BOUNDEDNESS

Some harmony systems have two triggers, one of which spreads a feature iteratively (99) while the other spreads the harmony noniteratively (100).

(99) *Iterative spreading from strong trigger S*



(100) *Noniterative spreading from weak trigger W*



For example, in Arabic dialects, coronal triggers of emphasis are strong, spreading the [RTR] iteratively throughout the word. This is in contrast to weak uvular and pharyngeal triggers which spread the feature only to an adjacent syllable or mora.

The differences in trigger strength are formalized here as a difference in penalty assignment. Strong triggers receive no penalty. Weak triggers violate a constraint that penalizes dependents of weak triggers acting as featural heads (101). Ignoring directional and featural co-occurrence restrictions, the small typology in (102) is generated.

(101) *DEPENDENT-HEAD(W) (*DP-HEAD(W))

Assign a violation for every dependent of a featural domain that is headed by a segment with feature set W.

(102) *Set of five typologically possible languages*

- a. /uuuuSuuuu/ → [uuu(USU)uuu]
 /uuuuWuuuu/ → [uuu(UWU)uuu]
- b. /uuuuSuuuu/ → [(UUUUSUUUU)]
 /uuuuWuuuu/ → [(UUUUWUUUU)]
- c. /uuuuSuuuu/ → [uuu(USU)uuu]
 /uuuuWuuuu/ → [uuuu(W)uuuu]
- d. /uuuuSuuuu/ → [(UUUUSUUUU)]
 /uuuuWuuuu/ → [uuuu(W)uuuu]
- e. /uuuuSuuuu/ → [(UUUUSUUUU)]
 /uuuuWuuuu/ → [uuu(UWU)uuu]

The asymmetrical boundedness between strong and weak triggers is achieved via an interaction between *DEPENDENT-LOCAL* and **DEPENDENT-HEAD(W)* and the spreading constraint. As with the directional constraints, this constraint assigns violations to dependents so that at each step of the derivation a penalty is incurred by spreading from disfavored triggers. This allows for additive constraint interaction with other constraints at any derivational step as will be seen below. This is the reason why a constraint against featural heads (**HEAD(W)*) is inadequate in Serial HG: satisfaction or violation of a featural head constraint would only be influential on the derivation at a single derivational step. In other words, positing head-dependent relations and constraints on these relations creates a representational solution for tracking where feature spreading originates which the grammar can evaluate for optimality at any distance from the point of origin.

(103) *Weighting conditions for unbounded strong trigger, bounded weak trigger*

- /uuS/ → [(US)]
 /uuW/ → [u(UW)]

$$w(\text{SHARE}) > w(\text{DP-LOCAL})$$

$$w(\text{SHARE}) > w(*\text{DP-HEAD(W)})$$

$$w(\text{DP-LOCAL}) + w(*\text{DP-HEAD(W)}) > w(\text{SHARE})$$

(104) Derivation for /uuS/ → [(UUS)]

Step 1: /uuS/ → u(US)

	3	2	2	
/uuS/	SHARE	DP-LOCAL	*DP-HEAD(W)	\mathcal{H}
☞ a. u(US)	-1			-3
c. uuS	-2			-6

Step 2: /uuS/ → u(US) → (UUS)

u(US)	SHARE	DP-LOCAL	*DP-HEAD(W)	\mathcal{H}
☞ d. (UUS)		-1		-2
e. u(US)	-1			-3

Step 3: /uuS/ → u(US) → (UUS) → [(UUS)]

(UUS)	SHARE	DP-LOCAL	*DP-HEAD(W)	\mathcal{H}
☞ d. (UUS)		-1		-2
e. u(US)	-1			-3

(105) Derivation for /uuW/ → [u(UW)]

Step 1: /uuW/ → u(UW)

	3	2	2	
/uuW/	SHARE	DP-LOCAL	*DP-HEAD(W)	\mathcal{H}
☞ a. u(UW)	-1		-1	-5
b. uuW	-2			-6

Step 2: /uuW/ → u(UW) → [u(UW)]

u(UW)	SHARE	DP-LOCAL	*DP-HEAD(W)	\mathcal{H}
c. (UW)		-1	-2	-6
☞ d. u(UW)	-1		-1	-5


(106) Comparative tableau for /uuS/ → [(UUS)], /uuW/ → [u(UW)]

input	$W \sim L$	SHARE	DP-LOCAL	*DP-HEAD(W)
u(US)	(UUS) ~ u(US)	+1	-1	
uuW	u(UW) ~ uuW	+1		-1
u(UW)	u(UW) ~ (UW)	-1	+1	+1


5.2 TRIGGER CONDITIONS AND BLOCKING

Some harmony systems have two triggers, one of which can be blocked (107). The other trigger cannot be blocked (108).

(107) *Weak trigger W spreading is blockable*



(108) *Strong trigger S spreading is unblockable*



This is the case with Chilcotin. Dorsal triggers are *weak* and are blocked by opaque *sharp* coronal segments under regressive harmony. Coronal triggers are *strong* and cannot be blocked by opaque *sharp* dorsal segments under regressive harmony.

(109) *Set of five typologically possible languages*

- | | | | |
|----|-------------|---|------------------------|
| a. | /ubuuSuubu/ | → | [ub(UU <u>S</u> UU)bu] |
| | /ubuuWuubu/ | → | [ub(UU <u>W</u> UU)bu] |
| b. | /ubuuSuubu/ | → | [(UBUU <u>S</u> UUBU)] |
| | /ubuuWuubu/ | → | [(UBUU <u>W</u> UUBU)] |
| c. | /ubuuSuubu/ | → | [ub(UU <u>S</u> UU)bu] |
| | /ubuuWuubu/ | → | [ubuuWuubu] |
| d. | /ubuuSuubu/ | → | [(UBUU <u>S</u> UUBU)] |
| | /ubuuWuubu/ | → | [ubuuWuubu] |
| e. | /ubuuSuubu/ | → | [(UBUU <u>S</u> UUBU)] |
| | /ubuuWuubu/ | → | [ub(UU <u>W</u> UU)bu] |

If the weighting conditions in (110) are met, then a language will have a bound on the domain of spreading from a weak featural head but no such bound on spreading from a strong featural head.

(110) *Weighting conditions for unbounded strong trigger, bounded weak trigger*

- $$\begin{array}{l} /ubS/ \quad \rightarrow \quad [(UBS)] \\ /ubW/ \quad \rightarrow \quad [ub(W)] \\ \\ w(\text{SHARE}) \quad > \quad w(*B) \\ w(\text{SHARE}) \quad > \quad w(*\text{DEPENDENT-HEAD}(W)) \\ w(*B) + w(*\text{DEPENDENT-HEAD}(W)) \quad > \quad w(\text{SHARE}) \end{array}$$

(111) *Derivation for /ubS/ → [(UBS)]***Step 1:** /ubS/ → u(BS)

	3	2	2	
/ubS/	SHARE	*B	*DEPENDENT-HEAD(W)	\mathcal{H}
☞ a. u(BS)	-1	-1		-5
b. ub(S)	-2			-6

Steps 2-3: /ubS/ → u(BS) → [(UBS)]

u(US)	SHARE	*B	*DEPENDENT-HEAD(W)	\mathcal{H}
☞ c. (UBS)		-1		-2
d. u(BS)	-1	-1		-5

(112) *Derivation for /ubW/ → [ub(W)]*

	3	2	2	
/ubW/	SHARE	*B	*DEPENDENT-HEAD(W)	\mathcal{H}
☞ a. u(BW)	-1	-1	-1	-7
b. ub(W)	-2			-6

The derivation for such a language is shown in (111). With all of the mini-grammars of asymmetrical harmony types detailed above, we can proceed to a language that has all of the above asymmetries.

6 Test Case: Chilcotin Vowel Flattening

As seen above, Chilcotin has coronal triggers (113) that iteratively spread an [RTR] feature both leftwards and rightwards. Leftward spreading is unblockable (§4.2.1). However, rightward spreading is both blockable by opaque velar segments (114b) and has a bimoraic bound (§4.3.1). The data previously seen is repeated in (115), (116), and (117) below.

(113) *Chilcotin strong coronal triggers*

$$\text{t}^{\text{s}'} \text{t}^{\text{s}h} \text{t}^{\text{s}'} \text{s}^{\text{c}} \text{z}^{\text{c}}$$
(114) *Opaque coronal and dorsal segments that block progressive harmony*

- a. $(\text{t}^{\text{s}} \text{t}^{\text{s}h} \text{t}^{\text{s}'}) \text{s} \text{z}$
 b. $k \text{ k}^h \text{ k}' \text{ k}^w \text{ k}^{\text{wh}} \text{ k}^w \text{ x}^w \text{ w}$

(115) *Blocking of progressive [RTR] harmony by opaque dorsals*

- a. /s^cekən/ → s^cəkən 'it's dry'
 b. /k^wətət^hiz^ck'æn/ → k^wətət^hez^ck'æn 'it's started to burn'
 c. /nætis^c(ət)k'æn/ → nates^ck'æn 'it's burning again'
 d. /k^wətəz^cɛlk'ænʃ/ → k^wətəz^cɛlk'æç 'don't make (a fire)'

(116) *No blocking of regressive [RTR] harmony by opaque dorsals*

- a. /t^hænink'æz̥^ɬ/ → t^hanɛŋk'az̥^ɬ 'water is getting cold'
 b. /k^wɛnink'æz̥^ɬ/ → k^wənɛŋk'az̥^ɬ 'water's cold'
 c. /k^wɛt^hɛkɯljúz̥^ɬ/ → k^wət^həkɯljóz̥^ɬ 'he is rich'
 d. /næk^wɛnits^hɛs̥^ɬ/ → nak^wənɛts^hɛs̥^ɬ 'fire's gone out'

(117) *Strong trigger rightward bimoraic boundedness*

- a. /s̥^ɬ(ɛ)it^hæn/ → s̥^ɬɛit^hæn 'I placed a long object'
 b. /s̥^ɬit^hin/ → s̥^ɬɛit^hin 'I'm sleeping'
 c. /ʔænæt^hɛs̥^ɬ(ɛ)i(t)t'in/ → ʔanət^hɛz̥^ɬɛit'in 'we started working'
 d. /næt^hɛs̥^ɬ(ɛ)i(t)(t)pin/ → nat^hɛz̥^ɬɛipin 'we're swimming away'
 e. /s̥^ɬæntæn/ → s̥^ɬantæn 'son-in-law'
 f. /s̥^ɬæntinɫ/ → s̥^ɬantɪɫ 'widow'

In addition to these directional asymmetries, Chilcotin also has asymmetrical trigger conditions like Arabic. While the strong coronal triggers are iterative leftwards and semi-iterative rightwards (due to the bound), the weak uvular triggers (118) are restricted to bidirectionally spreading only to an adjacent vowel, which may be either long or short as shown in (119).²¹ Unlike the strong coronal triggers, leftward spreading from weak dorsal triggers is blocked by opaque coronal segments (114a) as shown in (120).^{22,23}

(118) *Weak dorsal triggers*

q q^h q' χ ʁ q^w q^{wh} q^{wʷ} χ^w ʁ^w

(119) *Local bounded spreading from weak dorsal trigger*

- a. /ʔælæχ/ → ʔælαχ 'I made it' *ʔalαχ
 b. /ʁit^hi/ → ʁɛit^hi 'I slept' *ʁɛit^hɛi
 c. /ʁɛlmɛɫ/ → ʁɛlmɛɫ 'it's rolling' *ʁɛlmɛɫ
 d. /junɛq^hæt/ → junɛq^hat 'he's slapping him' *jonɛq^hat
 e. /næʁ^wɛs̥pi/ → næʁ^wɛs̥pi 'I would like to swim around' *næʁ^wɛs̥^ɬpɛi

(120) *Regressive spreading from weak dorsal trigger is blocked by sharp coronals*

- a. /nɛnt^hɛs̥ʁæntɫ/ → nɛnt^hɛs̥ʁɔɫ 'I'll chase you' *nɛnt^hɛs̥ʁɔɫ
 b. /t^hɛs̥q^{wh}i/ → t^hɛs̥q^{wh}ɛi 'I'll vomit' *t^hɛs̥q^{wh}ɛi

²¹ Needless to say, the adjacent syllable restriction on weak triggers entails a bimoraic restriction.

²² There is no evidence that weak dorsal triggers spreading progressively can be blocked by opaque coronal or dorsal segments since the weak dorsal trigger would have to occur in coda position in prefixes or as the first consonant in an onset cluster, which is not attested due to a phonotactic restriction that dorsal segments cannot occur in prefix codas and there are no consonant clusters in onsets. The analysis presented here, of course, predicts that weak dorsal triggers would be blocked in progressive harmony since they are blocked by coronal opaque segments in regressive harmony. There is also no evidence that opaque dorsal segments can block regressive harmony from weak dorsal triggers – again due the same phonotactic restriction: the opaque dorsal segment would have to occur in either a coda or CC onset.

²³ This description is for *elaborate* speech. In *fast* speech, blocking coronal segments do not block regressive harmony from weak triggers.

This is summarized as restrictions on spreading relativized by trigger and direction in the table in (121).

(121) *Spreading restrictions for Chilcotin*

	Blocked	Adjacent σ	Bimoraic
S leftward			
S rightward	yes		yes
W leftward	yes	yes	yes
W rightward	(yes?)	yes	yes

Chilcotin requires the weighting conditions in (122). The restrictions on harmony in Chilcotin can easily be read directly off of the inequalities. SHARE forces feature spreading while the other constraints act as anti-spreading restrictions. If the weight of SHARE is greater than the combined weights of given set of restrictions, then that combination of restrictions cannot prevent feature spreading. The opposite situation holds if the weight of SHARE is less than the combination of restrictions. The first inequality line shows that [RTR] can spread leftwards and further than two moras – in other words, unbounded leftward harmony – because SHARE outweighs the sum of the weights of *DEPENDENT-LEFT, DEPENDENT-LOCAL, and DEPENDENT-BINARITY. However, this is not true of rightward spreading, which is restricted to a two-mora bound since the weighted sum of *DEPENDENT-RIGHT, DEPENDENT-LOCAL, and DEPENDENT-BINARITY is greater than SHARE. These weighting relations account for the direction-specific boundedness of the strong coronal triggers.

(122) *Weighting conditions for Chilcotin vowel flattening*

$$\begin{aligned}
 w(*DP\text{-RIGHT}) + w(DP\text{-LOCAL}) + w(DP\text{-BINARITY}) &> w(\text{SHARE}) \\
 w(*DP\text{-LEFT}) + w(DP\text{-LOCAL}) + w(*DP\text{-HEAD}(W)) &> w(\text{SHARE}) \\
 w(*DP\text{-RIGHT}) + w(DP\text{-LOCAL}) + w(*DP\text{-HEAD}(W)) &> w(\text{SHARE}) \\
 w(*DP\text{-LEFT}) + w(*B) + w(*DP\text{-HEAD}(W)) &> w(\text{SHARE}) \\
 w(*DP\text{-RIGHT}) + w(*B) &> w(\text{SHARE}) \\
 w(\text{SHARE}) &> w(*DP\text{-LEFT}) + w(DP\text{-LOCAL}) + w(DP\text{-BINARITY}) \\
 w(\text{SHARE}) &> w(*DP\text{-RIGHT}) + w(DP\text{-LOCAL}) + w(*DISAGREE) \\
 w(\text{SHARE}) &> w(*DP\text{-RIGHT}) + w(*DP\text{-HEAD}(W)) \\
 w(\text{SHARE}) &> w(*DP\text{-LEFT}) + w(*B) \\
 w(\text{SHARE}) + w(*DISAGREE) &> w(*DP\text{-RIGHT}) + w(DP\text{-LOCAL}) + w(DP\text{-BIN})
 \end{aligned}$$

A complicating factor is that Chilcotin appears to allow spreading rightward past a short vowel and to the vowel of the second syllable – a third mora. The second retracted vowel of the second syllable has the same realization as when adjacent to coronal triggers and, thus, appears to be phonologically a fully retracted vowel. I assume in this case that

feature spreading has spread to a third mora in violation of the DEPENDENT-BINARITY constraint. In order to motivate this addition iteration, I assume there is a constraint *DISAGREE that penalizes vowels with an internal disagreement of the [RTR] feature on different moras. For the analysis, then, the sum of weights of SHARE and *DISAGREE outweighs *DEPENDENT-RIGHT + DEPENDENT-LOCAL + DEPENDENT-BINARITY. The other restrictions' interactions with SHARE are much the same as the isolated asymmetries examined in §4.2 and §5.

A set of weights meeting the conditions in (122) are used in the derivations (123)–(127). (123) demonstrates the (bidirectional) adjacent syllable bound restriction of the weak trigger, (124) shows blocking of leftward harmony from the weak trigger, (125), (126) the unidirectional blocking of rightward harmony from the strong trigger, and (127) unidirectional bound of rightward harmony from the strong trigger.²⁴

(123) Derivation for /u.u.Wu.u/ → [u.(U.WU).u]

Step 1: /u.u.Wu.u/ → u.(U.W)u.u

		10	6	4	3	1	
		SHARE	*DP-HEAD(W)	DP-LOCAL	*DP-RIGHT	*DP-LEFT	\mathcal{H}
	/u.u.Wu.u/						
☞	a. u.(U.W)u.u	-3	-1			-1	-37
	b. u.u.(WU).u	-3	-1		-1		-39
	c. u.u.Wu.u	-4					-40

Step 2: /u.(U.W)u.u/ → u.(U.W)u.u → u.(U.WU).u

	u.(U.W)u.u						
	e. (U.U.W)u.u	-2	-2	-1		-2	-38
☞	f. u.(U.WU).u	-2	-2		-1	-1	-36
	g. u.(U.W)u.u	-3	-1			-1	-37

Step 3: /u.(U.WU).u/ → u.(U.W)u.u → u.(U.WU).u → [u.(U.WU).u]

	u.(U.WU).u						
	h. (U.U.WU).u	-1	-3	-1	-1	-2	-37
	i. u.(U.WU.U)	-1	-3	-1	-2	-1	-43
☞	j. u.(U.WU).u	-2	-2		-1	-1	-36

²⁴ Syllable boundaries are indicated with periods, and .u. represents a monomoraic syllable while .uu. represents a bimoraic syllable.

(124) Derivation for /ub.Wu/ → [ub.(WU)]

Step 1: /ub.Wu/ → ub.(WU)

	10	8	6	4	3	1	
/ub.Wu/	SHARE	*B	*DP-HEAD(W)	DP-LOCAL	*DP-RIGHT	*DP-LEFT	\mathcal{H}
a. u(B.W)u	-2	-1	-1			-1	-35
☞ b. ub.(WU)	-2		-1		-1		-29
c. ub.Wu	-3						-30

Step 2: /ub.Wu/ → ub.(WU) → [ub.(WU)]

ub.(WU)							
d. u(B.WU)	-1	-1	-2		-1	-1	-34
☞ e. ub.(WU)	-2		-1		-1		-29

(125) Derivation for /u.bu.Su/ → [(U.BU.SU)]

Step 1: /u.bu.Su/ → u.b(U.S)u

	10	8	4	3	1	
/u.bu.Su/	SHARE	*B	DP-LOCAL	*DP-RIGHT	*DP-LEFT	\mathcal{H}
☞ a. u.b(U.S)u	-3				-1	-31
b. u.bu.(SU)	-3			-1		-33
c. u.bu.Su	-4					-40

Step 2: /u.bu.Su/ → u.b(U.S)u → u.b(U.SU)

u.b(U.S)u						
d. u.(BU.S)u	-2	-1			-2	-30
☞ e. u.b(U.SU)	-2			-1	-1	-24
f. u.b(U.S)u	-3				-1	-31

Step 3: /u.bu.Su/ → u.b(U.S)u → u.b(U.SU) → u.(BU.SU)

	10	8	4	3	1	
u.b(U.S <u>U</u>)	SHARE	*B	DP-LOCAL	*DP-RIGHT	*DP-LEFT	\mathcal{H}
☞ g. u.(BU.S <u>U</u>)	-1	-1		-1	-2	-23
h. u.b(U.S <u>U</u>)	-2			-1	-1	-24

Steps 4–5: /u.bu.Su/ → u.b(U.S)u → u.b(U.SU) → u.(BU.SU) → [(U.BU.SU)]

u.(BU.S <u>U</u>)						
☞ i. (U.BU.S <u>U</u>)		-1	-1	-1	-3	-18
j. u.(BU.S <u>U</u>)	-1	-1		-1	-2	-23

(126) Derivation for /uS.bu/ → [(US).bu]

Step 1: /uS.bu/ → (US).bu

	10	8	6	4	3	1	
/uS.bu/	SHARE	*B	*DP-HEAD(W)	DP-LOCAL	*DP-RIGHT	*DP-LEFT	\mathcal{H}
☞ a. (U <u>S</u>).bu	-2					-1	-21
b. u(S.B)u	-2	-1			-1		-31
c. uS.bu	-3						-30

Step 2: /uS.bu/ → (US).bu → [(US).bu]

(U <u>S</u>).bu							
d. (U <u>S</u> .B)u	-1	-1			-1	-1	-22
☞ e. (U <u>S</u>).bu	-2					-1	-21

(127) Derivation for /u.u.u.Su.uu.u/ → [(U.U.U.SU.UU).u]**Step 1:** /u.u.u.Su.uu.u/ → u.u.(U.S)u.uu.u

	10	4	4	3	2	1	
	SHARE	DP-BINARITY	DP-LOCAL	*DP-RIGHT	*DISAGREE	*DP-LEFT	\mathcal{H}
/u.u.u.Su.uu.u/							
☞ a. u.u.(U. <u>S</u>)u.uu.u	-6					-1	-61
b. u.u.u.(<u>SU</u>).uu.u	-6			-1			-63
c. u.u.u.Su.uu.u	-7						-70

Step 2: /u.u.u.Su.uu.u/ → u.u.(U.S)u.uu.u → u.u.(U.SU).uu.u

u.u.(U. <u>S</u>)u.uu.u							
d. u.(U.U. <u>S</u>)u.uu.u	-5		-1			-2	-57
☞ e. u.u.(U. <u>SU</u>).uu.u	-5			-1		-1	-54
f. u.u.(U. <u>S</u>)u.uu.u	-6					-1	-61

Step 3: /u.u.u.Su.uu.u/ → ... → u.u.(U.SU).uu.u → u.(U.U.SU).uu.u

u.u.(U. <u>SU</u>).uu.u							
☞ g. u.(U.U. <u>SU</u>).uu.u	-4		-1	-1		-2	-49
h. u.u.(U. <u>SU</u> .U)u.u	-4		-1	-2	-1	-1	-53
i. u.u.(U. <u>SU</u>).uu.u	-5			-1		-1	-54

Step 4: /u.u.u.Su.uu.u/ → ... → u.(U.U.SU).uu.u → (U.U.U.SU).uu.u

u.(U.U. <u>SU</u>).uu.u							
☞ j. (U.U.U. <u>SU</u>).uu.u	-3	-1	-2	-1		-3	-48
k. u.(U.U. <u>SU</u>).uu.u	-4		-1	-1		-2	-49

Step 5: /u.u.u.Su.uu.u/ → ... → (U.U.U.SU).uu.u → (U.U.U.SU.U)u.u

(U.U.U. <u>SU</u>).uu.u							
☞ l. (U.U.U. <u>SU</u> .U)u.u	-2	-1	-3	-2	-1	-3	-47
m. (U.U.U. <u>SU</u>).uu.u	-3	-1	-2	-1		-3	-48

Step 6: /u.u.u.Su.uu.u/ → ... → (U.U.U.SU.U)u.u → (U.U.U.SU.UU).u

	10	4	4	3	2	1	
(U.U.U. <u>S</u> U.U)u.u	SHARE	DP-BINARITY	DP-LOCAL	*DP-RIGHT	*DISAGREE	*DP-LEFT	\mathcal{H}
☞ n. (U.U.U. <u>S</u> U.UU).u	-1	-2	-4	-3		-3	-46
o. (U.U.U. <u>S</u> U.U)u.u	-2	-2	-3	-2	-1	-3	-51

Step 7: /u.u.u.Su.uu.u/ → ... → (U.U.U.SU.UU).u → [(U.U.U.SU.UU).u]

(U.U.U. <u>S</u> U.UU).u							
p. (U.U.U. <u>S</u> U.UU.U)		-3	-5	-4	-1	-3	-47
☞ q. (U.U.U. <u>S</u> U.UU).u	-1	-2	-4	-3	-1	-3	-46

(128) *Comparative tableau for*

/u.u.Wu.u/ → [u.(U.WU).u]

/ub.Wu/ → [ub.(WU)]

/u.bu.Su/ → [u.b(U.SU)]

/uS.bu/ → [(SU).bu]

/u.u.u.Su.uu.u/ → [(U.U.U.SU.UU).u]

$W \sim L$	SHARE	*B	*DP-HEAD (W)	DP-BINARITY	DP-LOCAL	*DP-RIGHT	*DISAGREE	*DP-LEFT
(U.U.U. <u>S</u> U.UU).u ~ (U.U.U. <u>S</u> U.UU.U)	-1			+1	+1	+1		
(U.U.U. <u>S</u> U).uu.u ~ u.(U.U. <u>S</u> U).uu.u	+1			-1	-1			-1
(U.U.U. <u>S</u> U.UU).u ~ (U.U.U. <u>S</u> U.U)u.u	+1			-1	-1	-1	+1	
u.(U. <u>W</u> U).u ~ (U.U. <u>W</u> U).u	-1		+1		+1			+1
u.(U. <u>W</u> U).u ~ u.(U. <u>W</u> U.U)	-1		+1		+1	+1		
(U.U.U. <u>S</u> U.U)u.u ~ (U.U.U. <u>S</u> U).uu.u	+1				-1	-1	-1	
u.(U. <u>W</u> U).u ~ u.(U. <u>W</u>)u.u	+1		-1			-1		
ub.(<u>W</u> U) ~ u(B. <u>W</u> U)	-1	+1	+1					+1
u.(BU. <u>S</u> U) ~ u.b(U. <u>S</u> U)	+1	-1						-1
(<u>S</u> U).bu ~ (<u>S</u> U.B)u	-1	+1				+1		

7 Against Classic OT and For HG

7.1 SYMMETRICAL OT: INSUFFICIENT POWER

Using the same set of constraints from the Serial HG analysis detailed above, OT can only generate symmetrical harmony patterns in interaction with the spreading restrictions. In order to demonstrate this, the derivations from the Serial HG analysis exemplifying direction-specific blocking are adapted below into a standard OT grammar with ranked constraints. As can be seen in (129), in order for regressive spreading to be unhindered by any spreading restriction, SHARE must dominate all other restricting constraints. However, this ranking leads to a ranking paradox in (130). Candidate (130a) with progressive harmony blocked is the attested Chilcotin form, but either *B or *DEPENDENT-RIGHT must dominate SHARE for this candidate to be the optimum in direct contradiction with the ranking argument in (129).

(129) *Generating no blocking under leftward spreading*

SHARE >> *B, DP-BINARITY, DP-LOCAL, *DP-RIGHT, *DP-LEFT

		SHARE	*B	*DP-RIGHT	*DP-LEFT
	/u.bu.Su/				
☞	a. (U.BU.SU)		1	1	3
	b. u.b(U.SU)	2! W	0 L	1	1 L
	c. u.bu.Su	4! W	0 L	0 L	0 L

(130) *Ranking paradox: failing to generate progressive blocking*

*B >> SHARE or *DEPENDENT-RIGHT >> SHARE

SHARE >> *LEFT

		SHARE	*B	*DP-RIGHT	*DP-LEFT
	/uS.bu/				
☞	a. (US).bu	2!			1
	b. (US.BU)	0 L	1 W	2 W	1
	c. uS.bu	3! W			0 L

7.2 LOCAL CONSTRAINT CONJUNCTION: LESS GENERAL AND PROBLEMATIC

Since OT lacks sufficient power required for asymmetrical patterns, the constraint set utilized in Serial HG analysis presented above must be expanded in order to compensate

for OT's shortcomings (Legendre, Sorace, and Smolensky 2006; Pater 2009). A standard analytical technique is to use Local Constraint Conjunction (LCC). Utilizing LCC changes OT into a descriptively adequate grammar that can account for asymmetries as shown in (131) and (132). By conjoining both the co-occurrence restriction *B and the directional constraint *DEPENDENT-RIGHT, blocking that is relativized to only rightward spreading becomes possible.

(131) *No blocking under leftward spreading*

		*B & *DP-RIGHT	SHARE	*B	*DP-RIGHT	*DP-LEFT
	/u.bu.Su/					
☞	a. (U.BU.SU)		1	1	3	3
	b. u.b(U.SU)		2! W	0 L	1	1 L
	c. u.bu.Su		4! W	0 L	0 L	0 L

(132) *Blocking rightward blocking by conjoined constraint*

		*B & *DP-RIGHT	SHARE	*B	*DP-RIGHT	*DP-LEFT
	/uS.bu/					
☞	a. (US).bu		2			1
	b. (US.BU)	1! W	0 L	1 W	2 W	1
	c. uS.bu		3! W			0 L

However, there are at least two arguments against LCC. One is conceptual, the other is empirical.

7.2.1 The Conceptual Argument

LCC is inelegant as it suffers from a loss of generality. Since low-ranked constraints appear to gang up to overcome higher-ranked constraint, it is reasonable to allow for additive asymmetrical trade-offs as in HG. When gang effects are required, LCC simulates gang effects through constraint conjunction on a constraint by constraint basis. In a complex system like Chilcotin, multiple conjunctions are required. Using the same constraints as in the Serial HG analysis presented above, the four necessary conjunctions are the following (133).²⁵

²⁵ One could get away with using only three conjoined constraints if directional spreading was motivated by featural alignment instead of the interaction of SHARE and *DEPENDENT-RIGHT/LEFT. However, alignment constraints are well-known for their dubious typological predictions.

(133) *Required constraint conjunctions for Chilcotin*

*B & *DEPENDENT-RIGHT

*B & *DEPENDENT-HEAD(W)

DEPENDENT-BINARITY & *DEPENDENT-RIGHT

DEPENDENT-LOCAL & *DEPENDENT-HEAD(W)

Given the rankings established in tableaux (134)–(138), OT-LCC can generate the Chilcotin pattern. However, the resulting analysis formally misses the more general characterization of regressive spreading being stronger than progressive spreading and the coronal triggers being stronger than the dorsal triggers, which was captured in Serial HG by weighting *DEPENDENT-RIGHT more heavily than *DEPENDENT-LEFT and having the constraint *DEPENDENT-HEAD(W) but no constraint penalizing dependents of strong coronal [RTR] heads. In OT-LCC, this general strength property of Chilcotin harmony must be repeated twice for each interaction with the co-occurrence restriction and the bound on spreading domain. It is the loss of generalization in the OT-LCC analysis that is to its detriment.

(134) *No blocking under leftward spreading*SHARE \gg *B, DP-LOCAL, *DP-RIGHT, *DP-LEFT

		*B & *DP-RIGHT	SHARE	*B	DP-LOCAL	*DP-RIGHT	*DP-LEFT
/u.bu.Su/							
☞ a. (U.BU. <u>SU</u>)				1	1	1	3
b. u.b(U. <u>SU</u>)			2! W	0 L	0 L	1	1 L
c. u.bu.Su			4! W	0 L	0 L	0 L	0 L

(135) *Blocking under rightward spreading**B & *DEPENDENT-RIGHT \gg SHARE

		*B & *DP-RIGHT	SHARE	*B	*DP-RIGHT	*DP-LEFT
/uS.bu/						
☞ a. (U <u>S</u>).bu			2			1
b. (U <u>S</u>).BU		1! W	0 L	1 W	2 W	1
c. uS.bu			3 W			0 L

(136) *Bidirectional blocking under spreading from weak trigger* $*B \ \& \ *DEPENDENT-HEAD(W) \gg \ SHARE \gg \ *DEPENDENT-HEAD(W)$

		$*B$ & $*DP-HEAD(W)$	SHARE	$*B$	$*DP-RIGHT$	$*DP-LEFT$	$*DP-HEAD(W)$
/ub.Wu/							
☞ a. ub.(WU)			2		1		1
b. (UB.WU)	_{1!} W		₀ L	₁ W	₁	₂ W	₃ W
c. ub.Wu			_{3!} W		₀ L		₀ L

(137) *Bimoraic bound under rightward spreading, no bound leftward* $DP-BINARITY \ \& \ *DP-RIGHT \gg \ SHARE \gg \ DP-BINARITY$

		$DP-BINARITY$ & $*DP-RIGHT$	SHARE	$DP-BINARITY$	$DP-LOCAL$	$*DP-RIGHT$	$*DP-LEFT$
/u.u.u.Suu.uu/							
☞ a. (U.U.U.SUU).uu			2	1	2	2	3
b. (U.U.U.SUU.UU)	_{2!} W		₀ L	₃ W	₄ W	₄ W	₃
c. u.(U.U.SUU).uu			_{3!} W	₀ L	₁ L	₂	₂ L
d. u.u.u.Su.uu.u			_{7!} W	₀ L	₀ L	₀ L	₀ L

(138) *Bidirectional bound under spreading from weak trigger* $DEPENDENT-LOCAL \ \& \ *DEPENDENT-HEAD(W) \gg \ SHARE$

		$DP-LOCAL$ & $*DP-HEAD(W)$	SHARE	$DP-LOCAL$	$*DP-RIGHT$	$*DP-LEFT$
/u.u.Wu.u/						
☞ a. u.(U.WU).u			2		1	1
b. (U.U.WU.U)	_{2!} W		₀ L	₂ W	₂ W	₂ W
c. u.u.Wu.u			_{4!} W		₀ L	₀ L

7.2.2 The Empirical Arguments

The second argument against OT-LCC lies in its typological predictions. Firstly, OT-LCC is relatively unrestrained in its ability to freely combine several constraints in unnatural ways, a property it shares with earlier rule-based parameter frameworks. This free combination results in OT-LCC lacking the property of the subset criterion for process

specificity (McCarthy 1997, Potts *et al.* 2010). In the case of Chilcotin, regressive harmony is strong while progressive harmony is weak. Any limitation on harmony is predicted to fall equally on both directions or only on one direction in OT and HG grammars that lack the superadditive power of constraint conjunction. What is not predicted is one limitation on regressive harmony and a second limitation on progressive harmony. Rather, asymmetrical restrictions apply in the same direction. This is the case with Chilcotin and other asymmetrical harmony systems reported thus far in the literature. This outcome is due to the nature of having ranked/weighted general constraints sans constraint conjunction. If LCC is a permitted grammatical mechanism, then there is no limit on how specific a constraint on a process can be. Other empirical problems exist when an improper domain is specified (McCarthy 1999, 2003).

8 Conclusion

This paper has shown that certain asymmetrical patterns in harmony systems can be modeled using Serial Harmonic Grammar, and a test case of a particularly complex system in Chilcotin was analyzed. Using weighted constraints allows for general explanation and restrictive typologies without resorting to the use of Local Constraint Conjunction, which comparatively suffers from less restrictive typologies and less general explanation. Since the analysis is implemented in a serial framework, several unwanted typological predictions generated by parallel Optimality Theory can be avoided as shown by previous research on feature spreading within Harmonic Serialism. Future work should examine the consequences of feature delinking/deletion, feature epenthesis, transparent segments, and tonal displacement (shift), which were put aside here.

References

- Anderson, John M. and Ewen, Colin J. 1987. *Principles of dependency phonology*. Cambridge: Cambridge University Press.
- Akinlabi, Akinbiyi M. 1984. Tonal underspecification and Yoruba tone. Doctoral dissertation, University of Ibadan, Nigeria.
- Applegate, Richard B. 1972. Ineseño Chumash grammar. Doctoral dissertation, University of California, Berkeley, CA.
- Baković, Eric. 2000. Harmony, dominance, and control. Doctoral dissertation, Rutgers University, New Brunswick, NJ.
- Baković, Eric. 2001. Vowel harmony and cyclicity in Eastern Nilotic. In *Proceedings of the 27th annual meeting of the Berkeley Linguistics Society: Special session on Afroasiatic linguistics*, ed. Andrew Simpson. Berkeley, CA: Berkeley Linguistics Society.
- Baković, Eric. 2003. Vowel harmony and stem identity. *San Diego Linguistic Papers* 1: 1–42.
- Becker, Michael and Pater, Joe. 2007. OT-Help user guide. *University of Massachusetts Occasional Papers in Linguistics* 36: 1–12. <http://web.linguist.umass.edu/~OTHelp/OTHelp.pdf>

- Bickmore, Lee S. 1997. Problems in constraining high tone spread in Ekegusii. *Lingua* 102: 265–290.
- Bickmore, Lee S. 1999. High tone spread in Ekegusii revisited: An optimality theoretic account. *Lingua* 109: 109–153.
- Cassimjee, Farida. 1998. *Isixhosa tonology: An optimal domains theory analysis*. München: Lincom Europa.
- Cassimjee, Farida and Kisseberth, Charles W. 1989. Shingazidja nominal accent. *Studies in the Linguistic Sciences* 19 (1): 33–61.
- Cassimjee, Farida and Kisseberth, Charles W. 1998. Optimal domains theory and Bantu tonology: A case study from Isixhosa and Shingazidja. In *Theoretical aspects of Bantu tone*, ed. Larry M. Hyman and Charles W. Kisseberth, 33–132. Stanford, CA: CSLI Publications.
- Cassimjee, Farida and Kisseberth, Charles W. 1999a. Tonal variation across Emakhuwa dialects. In *Proceedings of the symposium Cross-linguistic Studies of Tonal Phenomena, Tonogenesis, Typology, and Related Topics*, ed. Shigeki Kaji, 261–287. Tokyo: Tokyo University of Foreign Studies, Institute for the Study of Languages and Cultures.
- Cassimjee, Farida and Kisseberth, Charles W. 1999b. A conspiracy argument for Optimality Theory: Emakhuwa dialectology. In *Proceedings of the 23rd annual Penn Linguistics Colloquium*, ed. Jim Alexander, Na-Rae Han, and Michelle Minnick Fox, 81–96. University of Pennsylvania working papers in linguistics 6 (1). Philadelphia: University of Pennsylvania.
- Cassimjee, Farida and Kisseberth, Charles W. 2001. Zulu tonology and its relation to other Nguni languages. In *Proceedings of the symposium Cross-linguistic Studies of Tonal Phenomena, Tonogenesis, Japanese Accentology, and Other Topics*, ed. Shigeki Kaji, 327–359. Tokyo: Tokyo University of Foreign Studies, Institute for the Study of Languages and Cultures.
- Cole, Jennifer. 2009. Emergent feature structures: Harmony systems in exemplar models of phonology. *Language Sciences* 31 (2/3): 144–160.
- Cole, Jennifer and Kisseberth, Charles W. 1995a. An optimal domains theory of harmony. *Studies in the Linguistic Sciences* 24 (1/2): 101–114.
- Cole, Jennifer and Kisseberth, Charles W. 1995b. Paradoxical strength conditions in harmony systems. In *Proceedings of the twenty-fifth conference of the North-eastern Linguistic Society*, ed. Jill N. Beckman, 17–31. University of Pennsylvania.
- Cole, Jennifer and Kisseberth, Charles W. 1995c. Nasal harmony in optimal domains theory. *Proceedings of the Western Conference on Linguistics* (Vol. 7), 44–58. Fresno, CA: California State University, Department of Linguistics.
- Cole, Jennifer and Kisseberth, Charles W. 1995d. Restricting multi-level constraint evaluation: Opaque rule interaction in Yawelmani vowel harmony. In *Proceedings of the 1995 Southwestern Workshop on Optimality Theory*, ed. Keiichiro Suzuki and Dirk Elzinga, 18–38. Tucson, AZ: University of Arizona Linguistics Circle.
- Cook, Eung-Do. 1976. Flattening and rounding in Chilcotin velars. In *Victoria Conference on Northwestern Languages*, ed. Barbara S. Efrat, 15–32. Heritage record, No. 4. Victoria: British Columbia Provincial Museum.
- Cook, Eung-Do. 1983. Chilcotin flattening. *The Canadian Journal of Linguistics* 28 (2): 123–132.
- Cook, Eung-Do. 1987. An autosegmental analysis of Chilcotin flattening. In *Chicago Linguistics Society 23, Part 2: Parasession on autosegmental and metrical phonology*, 51–65.
- Cook, Eung-Do. 1989. Chilcotin tone and verb paradigms. In *Athapaskan linguistics: Current perspectives on a language family*, ed. Eung-Do Cook and Keren Rice, 145–198. Berlin: Mouton de Gruyter.

- Cook, Eung-Do. 1993. Chilcotin flattening and autosegmental phonology. *Lingua* 91 (2/3): 149–174.
- Davis, Stuart. 1995. Emphasis spread in Arabic and Grounded Phonology. *Linguistic Inquiry* 26 (3): 465–498.
- Doak, Ivy G. 1992. Another look at Coeur d'Alene harmony. *International Journal of American Linguistics* 58 (1): 1–35.
- Elfner, Emily. 2009. Syllabification and stress–epenthesis interactions in Harmonic Serialism. Unpublished manuscript, University of Massachusetts Amherst. ROA–1047:
<http://roa.rutgers.edu/view.php3?id=1510>
- Elfner, Emily. 2010. Stress–epenthesis interactions in Harmonic Serialism. Unpublished manuscript, University of Massachusetts Amherst.
http://www.people.umass.edu/eelfner/elfner_2010_Stress-epenthesisHS.pdf
- Gafos, Adamantios I. 1999. *The articulatory basis of locality in phonology*. New York: Garland.
- Hansson, Gunnar Ólafur. 2001. Theoretical and typological issues in consonant harmony. Doctoral dissertation, University of California, Berkeley, CA.
- Hansson, Gunnar Ólafur. 2007. On the evolution of consonant harmony: The case of secondary articulation agreement. *Phonology* 24 (1): 77–120.
- Harris, Zellig. 1946. From morpheme to utterance. *Language* 22 (3): 161–183.
- Heck, Fabian and Müller, Gereon. 2006. Derivational optimization of *wh*-movement. Unpublished manuscript, University of Leipzig, Germany. <http://www.uni-leipzig.de/~muellerg/mu212.pdf>
- Hetzron, Robert and Marcos, Habte–Mariam. 1966. Des traits pertinents superposés en ennemor. *Journal of Ethiopian Studies* 4 (1): 17–30.
- Hudu, Fusheini Angulu. 2010. Dagbani tongue-root harmony: A formal account with ultrasound investigation. Doctoral dissertation, University of British Columbia, Vancouver, Canada.
- Hyde, Brett. 2009. A closer look at Iterative Foot Optimization and the case against parallelism. Unpublished manuscript, Washington University, St. Louis, MO. ROA–1062:
<http://roa.rutgers.edu/view.php3?id=1531>
- Hyman, Larry M. 2001. In *Proceedings of the symposium Cross-linguistic Studies of Tonal Phenomena, Tonogenesis, Japanese Accentology, and Other Topics*, ed. Shigeki Kaji, 237–257. Tokyo: Tokyo University of Foreign Studies, Institute for the Study of Languages and Cultures.
- Hyman, Larry M. forthcoming. Is there a right-to-left bias in vowel harmony? In *Phonologica 2002*, ed. John R. Rennison, Friedrich Neubarth, and Markus A. Pöchtrager. Berlin: Mouton de Gruyter. http://linguistics.berkeley.edu/~hyman/Hyman_Vienna_VH_paper_forma.pdf
- Hyman, Larry M. and Byarushengo, E. 1984. A model of Haya tonology. In *Autosegmental studies in Bantu tone*, ed. G. N. Clements and John Goldsmith, 53–103. Dordrecht, The Netherlands: Foris.
- Jesney, Karen. forthcoming. Positional faithfulness, non-locality, and the Harmonic Serialism solution. In *Proceedings of the 39th Meeting of the North East Linguistics Society (NELS 39)*, ed. Suzi Lima, Kevin Mullin, and Brian W. Smith. Amherst, MA: Graduate Linguistic Student Association, University of Massachusetts Amherst. ROA–1018:
<http://roa.rutgers.edu/view.php3?id=1466>
- Jongman, Allard; Herd, Wendy; Al-Masri, Mohammad; Sereno, Joan; and Combest, Sonja. 2011. Acoustics and perception of emphasis in Urban Jordanian Arabic. *Journal of Phonetics* 39 (1), 85–95.

- Jurdec, Peter. 2010. Feature spreading 2.0: A unified theory of assimilation. Doctoral dissertation, University of Tromsø, Norway.
- Kaplan, Aaron. 2008a. Peak delay and tonal noniterativity. Unpublished manuscript, University of California, Santa Cruz. ROA-972: <http://roa.rutgers.edu/view.php?id=1398>
- Kaplan, Aaron. 2008b. Noniterativity is an emergent property of grammar. Doctoral dissertation, University of California, Santa Cruz, CA.
- Keller, Frank. 2000. Gradience in grammar: Experimental and computational aspects of degrees of grammaticality. Doctoral dissertation, University of Edinburgh, Scotland.
- Keller, Frank. 2006. Linear optimality theory as a model of gradience in grammar. In *Gradience in grammar: Generative perspectives*, ed. Gisbert Fanselow, Caroline Féry, Ralph Vogel and Matthias Schlesewsky, 270–287. Oxford: Oxford University Press.
- Key, Michael. 2007. Headed spans and Bantu tonology. In *Papers in Optimality Theory 3*, ed. Leah Bateman, Michael O’Keefe, Ehren Reilly, and Adam Werle, 187–207. University of Massachusetts occasional papers in linguistics 32. Amherst, MA: Graduate Linguistic Student Association, University of Massachusetts Amherst.
- Kimper, Wendell. 2008. Local optionality and Harmonic Serialism. Unpublished manuscript, University of Massachusetts Amherst. ROA-988: <http://roa.rutgers.edu/view.php?id=1421>
- Kimper, Wendell. 2009. Constraints on what’s not there: The role of serial derivations in subtractive truncation. Talk presented at HUMDRUM 2009 April. Amherst, MA: University of Massachusetts Amherst. http://people.umass.edu/wkimper/humdrum_09.pdf
- Kimper, Wendell. 2010a. Domain specificity and Vata ATR spreading. Talk presented at the 34th Penn Linguistics Colloquium. http://people.umass.edu/wkimper/PLC_10.pdf
- Kimper, Wendell. 2010b. Positivity, serialism, and finite goodness. Talk presented at the 18th Manchester Phonology Meeting. <http://people.umass.edu/wkimper/mfm-positive.pdf>
- Kimper, Wendell. 2011. Non-locality in harmony: Transparency/opacity and trigger conditions. Talk presented at New York University, February 2011. <http://people.umass.edu/wkimper/nyu-talk.pdf>
- Kimper, Wendell. forthcoming. Locality and globality in phonological variation. *Natural Language and Linguistic Theory*. http://people.umass.edu/wkimper/local_optionality_prepub.pdf
- Krauss, Michael E. 1975. Chilcotin phonology: A descriptive and historical report, with recommendations for a Chilcotin orthography. Unpublished manuscript, Alaska Native Language Center.
- Leben, Will. 1982. Metrical or autosegmental? In *The structure of phonological representations*, ed. Harry van der Hulst and Norval Smith, 177–190. Dordrecht: Foris.
- Legendre, Géraldine; Miyata, Yoshiro; and Smolensky, Paul. 1990a. Harmonic Grammar – a formal multi-level connectionist theory of linguistic wellformedness: An application. In *Proceedings of the twelfth annual conference of the Cognitive Science Society*, 884–891. Cambridge, MA: Lawrence Erlbaum.
- Legendre, Géraldine; Miyata, Yoshiro; and Smolensky, Paul. 1990b. Harmonic Grammar – a formal multi-level connectionist theory of linguistic wellformedness: Theoretical foundations. In *Proceedings of the twelfth annual conference of the Cognitive Science Society*, 388–395. Cambridge, MA: Lawrence Erlbaum.

- Legendre, Géraldine; Sorace, Antonella; and Smolensky, Paul. 2006. The Optimality Theory–Harmonic Grammar connection. In *The harmonic mind: From neural computation to Optimality-Theoretic grammar* (Vol. 2), ed. Paul Smolensky and Géraldine Legendre, 339–402. Cambridge, MA: MIT Press.
- Mahanta, Shakuntala. 2007. Directionality and locality in vowel harmony with special reference to vowel harmony in Assamese. Doctoral dissertation, Utrecht University, the Netherlands.
- McCarthy, John J. 1997. Process-specific constraints in Optimality Theory. *Linguistic Inquiry* 28 (2): 231–251.
- McCarthy, John J. 1999. Sympathy and phonological opacity. *Phonology* 16 (3): 331–399.
- McCarthy, John J. 2000. Harmonic serialism and parallelism. In *Proceedings of the North East Linguistics Society*, ed. Masako Hirota, Andries Coetzee, Nancy Hall, and Ji-yung Kim, 501–524. Amherst, MA: Graduate Linguistic Student Association, University of Massachusetts Amherst.
- McCarthy, John J. 2002. *A thematic guide to Optimality Theory*. Cambridge: Cambridge University Press.
- McCarthy, John J. 2003. Comparative markedness. *Theoretical Linguistics* 29 (1/2): 1–51.
- McCarthy, John J. 2004. Headed spans and autosegmental spreading. Unpublished manuscript, University of Massachusetts Amherst. http://works.bepress.com/john_j_mccarthy/60/
- McCarthy, John J. 2006. Restraint of analysis. In *Wondering at the natural fecundity of things: Essays in honor of Alan Prince*, ed. Eric Baković, Junko Ito, John J. McCarthy, 75–138. Santa Cruz: University of California, Santa Cruz, Linguistics Research Center. <http://www.escholarship.org/uc/item/8j31x9md>
- McCarthy, John J. 2007a. *Hidden generalizations: Phonological opacity in Optimality Theory*. London: Equinox Publishing.
- McCarthy, John J. 2007b. Slouching towards optimality: Coda reduction in OT-CC. In *Phonological studies 10*, ed. Phonological Society of Japan, 89–104. Tokyo: Kaitakusha.
- McCarthy, John J. 2007c. Consonant harmony via correspondence: Evidence from Chumash. In *Papers in Optimality Theory 3*, ed. Leah Bateman, Adam Werle, Michael O’Keefe, and Ehren Reilly. University of Massachusetts occasional papers in linguistics, 33. Amherst, MA: Graduate Linguistic Student Association, University of Massachusetts Amherst.
- McCarthy, John J. 2008a. The gradual path to cluster simplification. *Phonology* 25 (2): 271–319.
- McCarthy, John J. 2008b. The serial interaction of stress and syncope. *Natural Language & Linguistic Theory* 26 (3): 499–546.
- McCarthy, John J. 2009a. Harmony in Harmonic Serialism. Unpublished manuscript, University of Massachusetts Amherst. ROA-1009: <http://roa.rutgers.edu/view.php3?id=1453>
- McCarthy, John J. 2009b. The p-map in Harmonic Serialism. Unpublished manuscript, University of Massachusetts Amherst. ROA-1052: <http://roa.rutgers.edu/view.php3?id=1517>
- McCarthy, John J. 2009c. Classified bibliography of works on OT with Candidate Chains (OT-CC) and Harmonic Serialism (HS). Unpublished manuscript, University of Massachusetts Amherst. http://works.bepress.com/john_j_mccarthy/102/
- McCarthy, John J. 2009d. Studying GEN. *Journal of the Phonetic Society of Japan* 13 (2): 3–12.
- McCarthy, John J. 2010a. An introduction to Harmonic Serialism. *Language and Linguistics Compass* 4 (10): 1001–1018.

- McCarthy, John J. 2010b. Harmonic Serialism supplement to *Doing Optimality Theory*. Unpublished manuscript, University of Massachusetts Amherst.
http://works.bepress.com/john_j_mccarthy/108/
- McCarthy, John J. forthcoming-a. Perceptually grounded faithfulness in Harmonic Serialism. *Linguistic Inquiry*. http://works.bepress.com/john_j_mccarthy/104/
- McCarthy, John J. forthcoming-b. Autosegmental spreading in Optimality Theory. In *Tones and features* (Clements memorial volume), ed. John Goldsmith, Elizabeth Hume, and Leo Wetzels. Berlin: Mouton de Gruyter. http://works.bepress.com/john_j_mccarthy/100/
- McCarthy, John J. forthcoming-c. Pausal phonology and morpheme realization. In *Prosody matters: Essays in honor of Lisa Selkirk*, ed. Toni Borowsky, Shigeto Kawahara, Takahito Shinya and Mariko Sugahara. London: Equinox Publishing. http://works.bepress.com/john_j_mccarthy/4/
- McCarthy, John J.; Kimper, Wendell; and Mullin, Kevin. submitted. Copying prosodic constituents. Unpublished manuscript, University of Massachusetts Amherst.
<http://people.umass.edu/kmullin/McCarthyKimperMullin2010.pdf>
- McCarthy, John J.; Mullin, Kevin; and Smith, Brian W. 2010. Implications of Harmonic Serialism for lexical tone association. Unpublished manuscript, University of Massachusetts Amherst.
<http://people.umass.edu/kmullin/McCarthyMullinSmith2010.pdf>
- McCarthy, John J. and Prince, Alan. 1993. *Prosodic morphology I: Constraint interaction and satisfaction*. Technical report 3. Rutgers University Center for Cognitive Science.
- McCarthy, John J. and Prince, Alan. 1995. Faithfulness and reduplicative identity. In *University of Massachusetts occasional papers in linguistics 18*, ed. Jill Beckman, Laura Walsh Dickey, and Suzanne Urbanczyk, 249–384. Amherst, MA: GLSA Publications.
- McCarthy, John J. and Pruitt, Kathryn. forthcoming. Sources of phonological structure. In *Linguistic derivations and filtering: Minimalism and Optimality Theory*, ed. Hans Broekhuis and Ralf Vogel. London: Equinox.
- Mullin, Kevin. 2010. Strength in harmony. Talk presented at the UMass Amherst Linguistics second-year mini-conference in May 2010.
<http://people.umass.edu/kmullin/Mullin2010StrengthHarmonyhandout.pdf>
- Mullin, Kevin. in preparation. Comment on McCarthy's (2009) SHARE. Unpublished manuscript, University of Massachusetts Amherst.
- Myers, Scott. 1987. Tone and the structure of words in Shona. Doctoral dissertation, University of Massachusetts Amherst, MA.
- Ní Chiosáin, Máire and Padgett, Jaye. 2001. Markedness, segment realization, and locality in spreading. In *Segmental phonology in Optimality Theory: Constraints and representations*, ed. Linda Lombardi. New York: Cambridge University Press.
- Odden, David. 1981. Problems in tone assignment in Shona. Doctoral dissertation, University of Illinois at Urbana–Champaign.
- Osborne, Henry A., Jr. 1966a. Warao I: Phonology and morphophonemics. *International Journal of American Linguistics*, 32 (2): 108–123.
- Osborne, Henry A., Jr. 1966b. Warao II: Nouns, relationals, and demonstratives. *International Journal of American Linguistics*, 32 (3): 253–261.
- Osborne, Henry A., Jr. 1967. Warao III: Verbs and suffixes. *International Journal of American Linguistics*, 33 (1): 46–64.
- Pater, Joe. 2009. Weighted constraints in generative linguistics. *Cognitive Science* 33 (6): 999–1035.

- Pater, Joe. 2010. Non-vacuous specific with general gang effects. Unpublished manuscript, University of Massachusetts Amherst. ROA-1072: <http://roa.rutgers.edu/view.php3?id=1547>
- Pater, Joe. forthcoming. Serial Harmonic Grammar and Berber syllabification. In *Prosody matters: Essays in honor of Lisa Selkirk*, ed. Toni Borowsky, Shigeto Kawahara, Takahito Shinya and Mariko Sugahara. London: Equinox Publishing.
<http://people.umass.edu/pater/pater-serial-HG-berber.pdf>
- Peng, Long. 2000. Nasal harmony in three South American languages. *International Journal of American Linguistics*, 66 (1): 76–97.
- Pizzo, Presley. 2010. Stress–feature interactions in Harmonic Serialism. Talk presented at RUMMIT 2010 December. Amherst, MA: University of Massachusetts Amherst.
<http://people.umass.edu/ppizzo/RUMMIT2010.pdf>
- Poser, William J. 1982. Phonological representations and action-at-a-distance. In *The structure of phonological representations*, ed. Harry van der Hulst and Norval Smith, 121–158. Dordrecht: Foris.
- Poser, William J. 1993. Are strict cycle effects derivable? In *Studies in Lexical Phonology*, ed. Sharon Hargus and Ellen M. Kaisse, 315–321. New York: Academic Press.
- Potts, Christopher; Pater, Joe; Jesney, Karen; Bhatt, Rajesh; and Becker, Michael. 2010. Harmonic Grammar with linear programming: From linear systems to linguistic typology. *Phonology* 27 (1): 77–117.
- Prince, Alan. 2002a. Entailed ranking arguments. Unpublished manuscript, Rutgers University. ROA-500: <http://roa.rutgers.edu/view.php3?id=627>
- Prince, Alan. 2002b. Arguing optimality. In *Papers in Optimality Theory II* (Vol. 26), ed. Angela Carpenter, Andries W. Coetzee, and Paul de Lacy. Vol. 26 of *University of Massachusetts occasional papers in linguistics*, 269–304. Amherst, MA: Graduate Linguistic Student Association, University of Massachusetts Amherst.
- Prince, Alan. 2003. Anything goes. In *New century of phonology and phonological theory*, ed. Takeru Honma, Masao Okazaki, Toshiyuki Tabata and Shinichi Tanaka, 66–90. Tokyo: Kaitakusha.
- Prince, Alan and Smolensky, Paul. 1993 [2003]. *Optimality theory: Constraint interaction in generative grammar*. Malden, MA: Blackwell.
- Pruitt, Kathryn. 2008. Iterative foot optimization and locality in stress systems. Unpublished manuscript, University of Massachusetts Amherst. ROA-999:
<http://roa.rutgers.edu/view.php3?id=1440>
- Pruitt, Kathryn. 2010. Serialism and locality in constraint-based metrical parsing. *Phonology* 27 (3): 481–526.
- Pulleyblank, Douglas. 1986. *Tone in lexical phonology*. Dordrecht, The Netherlands: Foris.
- Rich, Furne. 1963. Arabela phonemes and high-level phonology. In *Studies in Peruvian Indian languages I*, ed. Benjamin Elson, 193–206. Summer Institute of Linguistics in linguistics and related fields, No. 9. Norman, OK: Summer Institute of Linguistics of the University of Oklahoma.
- Shaw, Patricia A. 1991. Consonant harmony systems: The special status of coronal harmony. In *The special status of coronals: Internal and external evidence*, ed. Carole Paradis and Jean-François Prunet, 125–58. Phonetics and phonology 2. San Diego: Academic Press.
- Smolensky, Paul. 1993. Harmony, markedness, and phonological activity. Talk presented at Rutgers Optimality Workshop I, New Brunswick, NJ. ROA-87: <http://roa.rutgers.edu/view.php3?id=57>

- Smolensky, Paul. 1995. On the internal structure of the constraint component *Con* of UG. Talk presented at UCLA. ROA-86: <http://roa.rutgers.edu/view.php3?id=58>
- Smolensky, Paul. 2006. Optimality in phonology II: Harmonic completeness, local constraint conjunction, and feature domain markedness. In *The harmonic mind: From neural computation to Optimality-Theoretic grammar* (Vol. 2), ed. Paul Smolensky and Géraldine Legendre, 27–160. Cambridge, MA: MIT Press.
- Smolensky, Paul and Legendre, Géraldine. 2006. *The harmonic mind: From neural computation to Optimality-Theoretic grammar*. Cambridge, MA: MIT Press.
- Staub, Robert. forthcoming. The pathology of feature-driven stress. In *Proceedings of the 41st Meeting of the North East Linguistics Society (NELS 41)*. Amherst, MA: Graduate Linguistic Student Association, University of Massachusetts Amherst.
- Staub, Robert; Becker, Michael; Potts, Christopher; Pratt, Patrick; McCarthy, John J.; and Pater, Joe. 2010. OT-Help 2.0 [Software]. Amherst, MA: University of Massachusetts Amherst.
- Steriade, Donca. 1987. Redundant values. *Proceedings of CLS 23* (2): 339–62.
- Steriade, Donca. 1993. Closure, release and nasal contours. In *Nasals, nasalization, and the velum*, ed. Marie K. Huffman and Rena A. Krakow, 401–470. Phonetics and phonology, No. 5. San Diego: Academic Press.
- Steriade, Donca. 1995. Underspecification and markedness. In *Handbook of phonological theory*, ed. John A. Goldsmith, 114–174. Cambridge, MA: Blackwell.
- Stevick, Earl W. 1969. Tone in Bantu. *International Journal of American Linguistics* 35 (4): 330–341.
- Walker, Rachel. 1998. Nasalization, neutral segments, and opacity effects. Doctoral dissertation, University of California, Santa Cruz, CA.
- Walker, Rachel. 2006. Long distance metaphony: A generalized licensing proposal. Talk presented at PhonologyFest Workshop, Indiana University, Bloomington, June 2006. <http://www-rcf.usc.edu/~rwalker/WalkerLicensing6-23.pdf>
- Walker, Rachel. 2008. Gradualness and fell-swoop derivations. Talk presented at the UCSC Graduate Alumni Conference, University of California, Santa Cruz, September 2008. <http://www-rcf.usc.edu/~rwalker/GradualnessHdtUCSC.pdf>
- Walker, Rachel. 2009. (Non-)adjacency in harmony systems. Talk presented at the 45th meeting of the Chicago Linguistic Society, University of Chicago, April 2009. <http://www-rcf.usc.edu/~rwalker/WalkerCLShandout.pdf>
- Walker, Rachel. 2010. Non-myopic harmony and the nature of derivations. *Linguistic Inquiry* 41 (1): 169–179.
- Watson, Janet C.E. 2002. *The phonology and morphology of Arabic*. Oxford: Oxford University Press.
- Wilson, Colin. 2003. Unbounded spreading in OT (or, unbounded spreading is local spreading iterated unboundedly). Unpublished manuscript, University of California, Los Angeles, CA.
- Wilson, Colin. 2004. Analyzing unbounded spreading with constraints: Marks, targets, and derivations. Unpublished manuscript, University of California, Los Angeles, CA.
- Wilson, Colin. 2006. Unbounded spreading is myopic. Unpublished manuscript, University of California, Los Angeles, CA. <http://www.linguistics.ucla.edu/people/wilson/Myopia2006.pdf>
- Younes, Munther A. 1993. Emphasis spread in two Arabic dialects. In *Perspectives on Arabic linguistics v: Papers from the fifth annual Symposium on Arabic Linguistics*, ed. Mushira Eid and Clive Holes, 119–145. Amsterdam studies in the theory and history of linguistics science, Vol. 101. Amsterdam: John Benjamins Publishing Company.

- Zawaydeh, Bushra A. 1999. The phonetics and phonology of gutturals in Arabic. Unpublished doctoral dissertation, Indiana University, Bloomington, IN.
- Zerbian, Sabine. 2006. High tone spread in the Sotho verb. In *Selected proceedings of the 35th Annual Conference on African Linguistics: African languages and linguistics in broad perspectives*, ed. John Mugane, John P. Hutchison, and Dee A. Worman, 147–157. Somerville, MA: Cascadilla Proceedings Project.
- Zubizarreta, Maria Luisa. 1979. Vowel harmony in Andalusian Spanish. MIT *Working Papers in Linguistics* 1: 1–11.

Kevin Mullin

kmullin@linguist.umass.edu

<http://people.umass.edu/kmullin>

<http://people.umass.edu/kmullin/Mullin2011StrengthHarmonySystems.pdf>